
Data Summary and Problem Analysis

1989 Traffic Collisions in Washington State



June, 1990

Washington Traffic Safety Commission 1000 South Cherry Street, MS/PD-11, Olympia, WA 98504

Data Summary and Problem Analysis

Introd	uction 1
I.	Overview 3
Π.	Alcohol Involvement
III.	Youth Involvement
IV.	Safety Restraint Use
V.	Motorcycle Collisions
VI.	Pedalcycles
VII.	Pedestrians
VIII.	Heavy Trucks 65
IX.	Pupil Transportation
X.	Contributory Driver Violations
XI.	Senior Driver Involvement
VII.	Vehicle Defects

Introduction

This edition of the Data Summary and Problem Analysis documents and analyzes traffic impact problems that occurred during 1989 within the State of Washington. An abbreviated version of this document is used for the Problem Analysis section of the Traffic Safety Commission's 1991-1992 Highway Safety Plan.

Impact problems consist of factors that contribute directly to the occurrence of collisions, fatalities, and/or injuries. They are identified and analyzed to make possible the design and implementation of countermeasures against their negative effects.

Problem areas were selected based on statewide experience of impact areas (where information was available) as outlined in the federal safety standards. Various statewide automated and manual traffic information systems were inventoried and analyzed. The data sources included: Traffic Accident Records, Fatal Accident Reporting System, Driver's Licensing Records, Vehicle Registration Records, and Highway/Roadway Information. In most instances, data from previous years were gathered as a baseline to serve as a point of comparison to the current year.

Statewide traffic collision records were the primary source for identifying the specific traffic problem areas. Collision experience from prior years served as a baseline in analyzing the traffic collision data. This baseline provided a perspective to assess the current year's (1989) experience with traffic problem areas. The baseline also serves to identify short-term changes in collision patterns as distince from longer-term trends.

The development of over/under-representation ratios was the primary method of analysis. Where relevant exposure data were available, the generation of over-representation ratios allow for the comparisons of different subgroups relative to the percentage of the population they comprise. Additionally, counties and cities were ranked by different problem areas to compare geographical and political subdivisions.

Traffic Problems Selected for Analysis

An overview plus the following traffic safety problem areas were selected for this year's analysis:

- Alcohol Involvement
- · Youth Involvement
- Safety-Restraint Usage
- Motorcycle Collisions
- · Pedalcycles
- Pedestrians
- Heavy Trucks
- Pupil Transportation
- Contributory Driver Violations
- Senior Driver Involvement
- · Vehicle Defects

I. Overview

The number of persons killed on Washington's highways in 1989 totaled 781, a 2.4% increase from the 1986-1988 three-year baseline average of 763. The total number of fatal collisions increased 0.9% in 1989 compared to the average for 1986-1988. Injury collisions and total number of persons injured also increased in 1989 by 6.8% and 7.3% respectively over the three-year averages in those categories. Property-damage-only collisions showed very little change over the previous three years (Table 1-1).

Table 1-1

			of COLLISIONS r Comparison			
		Yes	ır		Previous 3-Year	% of Change 89 - 3-Year
Impact	1989	1988	1987	1986	Average	Average
Total Collisions	128,800	125,920	126,807	122,918	125,215	2.9%
Fatal Collisions	694	706	699	658	688	0.9%
Total Killed	781	785	790	714	763	2.4%
Injury Collisions	50,747	49,482	46,968	46,090	47,513	6.8%
Total Injured	73,993	72,449	67,665	66,707	68,940	7.3%
Property Damage Only Collisions*	77,359	75,732	79,140	76,170	77,014	0.4%

Oct. 1, 1987 the reporting level for motor vehicle traffic collisions increased from \$300 to \$500. Fatal and injury collisions were not affected by this change in the law, but property damage only collisions were reduced by 4.3% in 1988.

Source: WSP

A. Exposure

Motor vehicle travel increased by 11.8% in 1989 as compared to the 1986-1988 baseline average. Motor vehicle registration also jumped 7.7% over the baseline while the number of licensed drivers increased 6.4%. In 1989, the state's population increased 3.8% over the 1986-1988 average to a total of 4,660,700 persons (Table 1-2).

Table 1-2

			AND DRIVERS Comparison			
**************************************	T	Ye	ear	The state of the s	Previous 3 - Year	% of Change 89 - 3-Year
Exposure	1989	1988	1987	1986	Average	Average
Motor Vehicle Travel*	43,449	41,698	38,520	36,416	38,878	11.8%
Motor Vehicle Registration	4,084,367	3,896,828	3,833,058	3,651,102	3,793,663	7.7%
Licensed Drivers	3,350,324	3,264,065	3,156,600	3,029,375	3,150,013	6.4%
State's Population	4,660,700	4,565,000	4,481,100	4,419,700	4,488,600	3.8%

*in Millions

Source: WSDOT, DOL, OFM

B. Rates

The 1989 motor vehicle traffic death rate was 1.80 fatalities per 100 million vehicle miles - the lowest in the state's history. The rate was down 8.5% from the previous three-year average and lower than the 1988 rate of 1.88, the previous record low. The rate of 1.70 injuries per one million vehicle miles in 1989 was also down from the 1.74 rate for 1988 (Table 1-3).

Table 1-3

Source: WSP, WSDOT		DEATH AND II				
		Yea	ar .	1	Previous 3-Year	% of Change 89 - 3-Year
Rates	1989	1988	1987	1986	Average	Average
Death Rate (Deaths per 100M vehicle miles)	1.80	1.88	2.05	1.96	1.96	-8.5%
Injury Rate (Injuries per 1M vehicle miles)	1.70	1.74	1.76	1.83	1.78	-4.1%

C. Fatalities by Status

Drivers were killed more frequently than passengers or others in 1989 motor vehicle collisions. Fatalities in this classification increased from 394 in 1988 to 420 in 1989. The 1989 figure represented an 11.2% increase from the average of the three previous years. The number of passengers killed, however, decreased from 206 to 174, representing a 15.5% reduction from 1988, and down 53, or 10.8%, from the three-year baseline period. The number of motorcyclists killed in collisions decreased to 69 in 1989 (Table 1-4).


Table 1-4


			ILLED BY STAT ar Comparison			
		Yea	r		Previous 3-Year	% of Change 89 - 3-Year
Status	1989	1988	1987	1986	Average	Average
Drivers (no motorcyclists)	420	394	386	353	378	11.2%
Passengers	174	206	204	175	195	-10.8%
Pedestrians	110	97	93	94	95	16.2%
Pedalcyclists	8	12	18	12	14	-42.9%
Motorcyclists	69	76	89	80	82	-15.5%
TOTAL	781	785	790	714	763	2.4%

Source: Washington State Patrol


D. Traffic Collisions, Deaths, Injuries, Travel, and Death Rate

After a sharp increase in traffic deaths during 1987, there were slight decreases the following two years with 785 in 1988 and 781 in 1989. Figure 1-1 indicates that total traffic deaths have leveled off during the past three years. The two extremes in recent history of traffic deaths are a high of 1,034 deaths recorded in 1979 and a record low of 705 in 1983. Motor vehicle travel in 1989 increased by 4.2% over 1988 to reach an all-time high of 43.449 billion miles (Figure 1-2).






The state's 1989 traffic fatality rate of 1.80 deaths per 100 million vehicle miles of travel continues to be well below the national rate of 2.40 for the year. The 1.80 rate is the lowest point in Washington's history: it fell from the 1.88 rate recorded in 1988 and was 47.5% below the 3.43 rate recorded at the beginning of the decade (Figure 1-3).



Total reported motor vehicle traffic collisions and injuries increased over the three-year average. Compared to 1988, total collisions and the number of persons injured were up by 2.3% and 2.1% respectively (Figure 1-4).



E. Highways, Travel and Fatalities

The U.S. and state numbered systems (other than the interstate system) were the most-traveled road systems in the state with an estimated 12.231 billion miles traveled. The interstate system continued to have the lowest death rate of all the state systems with a 0.80 rate per 100 million vehicle miles in 1989: a decrease of 0.18 from 1988. Estimated travel on city streets totaled 8.116 billion miles in 1989 with a death rate of 1.18, up very slightly from 1988. County roads were traveled an estimated 10.852 billion miles and recorded a death rate of 2.56 in 1989, a decrease from the previous year's 2.85 rate. Total motor vehicle travel in the state increased from 41.698 billion miles in 1988 to 43.449 billion in 1989 (Table 1-5).

Table 1-5

			S, TRAVEL, AND By Type of Hi	ghway	,	<u> </u>	
	High	Ways	Vehicle Miles			Collisions	In
Type of Highways	Miles	% of Total	Miles (Millions)	% of Total	Total Collisions	Total Fatalities	Death Rate for CMVM*
Interstate System**	771	0.9%	10,539	24.3%	13,575	84	0.80
All Other State Highways	6,225	7.6%	12,231	28.2%	29,494	316	2.58
County Roads	41,748	51.2%	10,852	25.0%	28,505	278	2.56
City Streets	11,382	14.0%	8,116	18.7%	56,233	96	1.18
All Other Traffic Ways***	21,433	26.3%	1,711	3.9%	993	7	0.41
TOTAL	81,559	100.0%	43,449	100.0%	128,800	781	1.80

⁺Preliminary Estimates

Source: WSP, WSDOT

Table 1-6

Source	e¢ WSP			ILLED AND e and By St						
	Tot	tal	Occi	ipants	Pedest	rians	Pedalcy	Pedalcyclists		
Age	Killed	Injured	Killed	Injured	Killed	Injured	Killed	Injured		
0 - 4	13	1,327	8	1,229	5	83	0	14		
5 - 9	16	2,022	7	1,556	6	235	3	230		
10 - 14	21	2,290	14	1,708	5	226	2	354		
15 - 19	96	11,586	82	11,148	13	218	1	215		
20 - 24	113	11,293	103	10,975	10	185	0	130		
25 - 34	200	17,412	179	16,932	19	288	1	185		
35 - 44	104	11,674	93	11,377	11	219	0	69		
45 - 54	56	6,125	45	5,996	10	95	1	30		
55 - 64	48	3,657	40	3,554	8	87	0	14		
65 - 74	49	2,512	44	2,426	5	78	0	7		
75/Older	60	1,453	42	1,376	18	74	0	3		
Not Stated	5	2,641	5	2,514	0	70	0	51		
TOTAL*	781	73,992	662	70,791	110	1,858	8	1,302		

^{*}Total killed includes 1 fatality where the status of the killed was unknown.

Total injured includes 41 injured where the status of the injured was unknown.

^{*}Fatalities per hundred million vehicle miles, based on roadway travel as

^{**}Does not include traveled way.

^{***}Does not include (all terrain vehicle) trails.

Table 1-7

Source: WSP				IC DEATHS Compariso					
	1989		1988		1987		% Change 88 to 89		
-	Month	Year	Month	Year	Month	Year	Month	Year	
Month	Total	To Date	Total	To Date	Total	To Date	Total	To Date	
January	42	42	40	40	54	54	5.0%	5.0%	
February	33	75	: 42	82	52	106	-21.4%	-8.5%	
March	53	128	70	152	62	168	-24.3%	-15.8%	
April	52	180	55	207	55	223	-5.5%	-13.0%	
May	74	254	. 69	276	50	273	7.2%	-8.0%	
June	65	319	82	358	77	350	-20.7%	-10.9%	
July	76	395	86	444	73	423	-11.6%	-11.0%	
August	72	467	79	523	84	507	-8.9%	-10.7%	
September	85	552	70	593	90	597	21.4%	-6.9%	
October	81	633	66	659	69	666	22.7%	-3.9%	
November	71	704	66	725	73	739	7.6%	-2.9%	
December	77	781	60	785	51	790	28.3%	-0.5%	

Table 1-8


Source: W	SP				COLLISION By Time	ıs				
Hour		Collisions		Mor	nday - Thu	rsday	Friday - Sunday			
Reporting	Total	Injury	Fatal	Total	Injury	Fatal	Total	Injury	Fatal	
Midnight	3,155	1,234	29	1,134	458	12	2,021	776	17	
1:00	3,023	1,310	40	946	691	14	2.077	619	26	
2:00	2,891	1,230	37	894	365	11	1,997	865	26	
3:00	1,523	566	22	502	161	5	1,021	405	17	
4:00	1,060	410	19	402	139	6	658	271	13	
5:00	1,476	563	16	808	304	9	668	259	7	
6:00	3,007	1,166	17	2,087	812	7	920	354	10	
7:00	5,568	2,164	23	4,091	1,601	14	1,477	563	,	
8:00	4,622	1,634	21	3,107	1,101	10	1,515	533	11	
9:00	4,125	1,498	12	2,484	874	8	1,641	624	4	
10:00	4,817	1,691	9	2,770	942	4	2,047	749	5	
11:00	6,270	2,292	27	3,576	1,289	16	2,694	1,003	11	
Noon	7,434	2,898	24	4,234	1,621	13	3,200	1,277	11	
1:00	7,856	2,883	30	4,363	1,570	16	3,493	1,313	14	
2:00	8,946	3,449	31	5,185	1,973	19	3,761	1,476	12	
3:00	10,289	4,098	27	6,194	2,469	18	4,095	1,629	9	
4:00	11,151	4,502	36	6,869	2,794	19	4,282	1,708	17	
5:00	11,235	4,606	35	7,087	2,914	19	4,148	1,692	16	
6:00	7,572	3,153	44	4,390	1,814	21	3,182	1,339	23	
7:00	5,541	2,325	45	2,924	1,245	24	2,617	1,080	21	
8:00	4,697	1,933	42	2,405	989	18	2,292	944	24	
9:00	4,433	1,800	38	2,255	919	19	2,178	881	19	
10:00	4,059	1,761	38	1,858	829	18	2,201	932	20	
11:00	4,050	1,581	32	1,700	668	17	2,350	913	15	
TOTAL	128,800	50,747	694	72,265	28,542	337	56,535	22,205	357	

F. Traffic Deaths by County

In 1989, fatalities ranged from a high of 145 in King County, with a death rate of 1.23 (traffic deaths per 10,000 registered vehicles), to a low of 1 death in Asotin County with a death rate of 0.71. Ferry County recorded the highest death rate at 13.07 computed from 5 fatalities, followed by Columbia County that recorded a 9.38 death rate based on 4 traffic deaths. Adams County was third with 13 traffic deaths and a death rate of 9.32 (Figure 1-5).

Figure 1-5

Traffic Deaths Per 10,000 Registered Vehicles by County



G. Collisions by Age Group

Drivers 20 years old and under comprised 7.4% of all licensed drivers in the state last year, yet this age group was involved in 17.4% of the total 1989 collisions. This was a collision over-representation rate 2.35 times higher than the percentage of licensed drivers comprising this group. The 21-24 age group was involved in 12.2% of the total collisions while comprising 7.5% of all licensed drivers, producing an over-representation factor of 1.63. The 25-29 age group, comprising 11.6% of all licensed drivers, was involved in 14.4% of all collisions for an over-representation ratio of 1.24. The 30-34 age group, comprising 12.7% of

all licensed drivers, was involved in 12.7% of all collisions, a 1 to 1 ratio. All other age groups were under-represented when their percentages of collision involvement were compared to their percentages of total licensed drivers (Table 1-9).

Table 1-9

				RIVER DIST				
		involved in					7	
		tal		tal		Drivers		er Ratio
Age Group	Kumber	X	Number	X	Number	×	Total	Fatal
Under 16	649	0.33%	3	0.29%	****	****	****	****
16	4,508	2.28%	10	0.97%	26,685	0.80%	2.87	1.22
17	6,715	3.40%	21	2.04%	41,024	1.22%	2.78	1.67
18	7,876	3.99%	38	3.69%	54,298	1.62%	2.46	2.28
19	7,659	3.88%	43	4.17%	64,230	1.92%	2.02	2.18
20	6,895	3.49%	37	3.59%	59,961	1.79%	1.95	2.01
21	6,310	3.19%	24	2.33%	60,850	1.82%	1.76	1.28
22	6,085	3.08%	30	2.91%	61,214	1.83%	1.69	1.59
23	5,870	2.97%	31	3.01%	63,702	1.90%	1.56	1.58
24	5,843	2.96%	31	3.01%	64,469	1.92%	1.54	1.56
25-29	28,505	14.43%	165	16.02%	388,902	11.61%	1.24	1.38
30-34	25,034	12.68%	137	13.30%	423,959	12.65%	1.00	1.05
35-39	21,311	10.79%	98	9.51%	414,451	12.37%	0.87	0.77
40-44	16,933	8.57%	86	8.35%	366,387	10.94%	0.78	0.76
45-49	11,849	6.00%	61	5.92%	274,608	8.20%	0.73	0.72
50-54	8,583	4.35%	41	3.98%	204,977	6.12%	0.71	0.65
55-59	6,971	3.53%	52	5.05%	179,101	5.35%	0.66	0.94
60-64	5,887	2.98%	39	3.79%	171,701	5.12%	0.58	0.74
65-69	5,214	2.64%	23	2.23x	164,366	4.91%	0.54	0.46
70 & Over	8,801	4.46%	60	5.83%	265,439	7.92%	0.56	0.74
TOTAL*	197,498	100.00%	1,030	100.00%	3,350,324	100.00%		
Male Female	133,078 79,209	62.69% 37.31%	797 238	77.00%	1,742,470	52.01%	1.21	1.48
TOTAL**	212,287	100.00%	1,035	23.00% 100.00%	1,607,854 3,350,324	100.00%	0.78	0.48

^{*}Total does not include 30,305 drivers whose age was not stated.

^{**}Total does not include 15,516 drivers whose sex was not stated.

Figure 1-6

Traffic Fatalities

In 1989 and Percent of Change from 1988





Figure 1-7


Traffic Fatalities by Age and Sex





Source: WSP

H. Collisions by Type

Multiple-vehicle collisions increased slightly from 94,304 in 1988 to 96,549 in 1989 (Figure 1-8). Single-vehicle collisions also increased slightly (Figure 1-9). Vehicle-pedestrian collisions increased 2.8% from 1988 (Figure 1-10). Vehicle-pedalcycle collisions dropped by 3.3% in 1989, the second year of decrease after a five-year trend of increases in pedalcycle collisions from 1982 through 1987 (Figure 1-11).










Table 1-10

	COLLISI	ON RATES	BY COUNTY	POPULATIO	N		
1 march 1 marc	1989		c Deaths		Injuries	Total C	ollisions
County	Population	Number	Rate*	Number	Rate**	Number	Rate**
Over 1,000,000	11 1			11		11	
1. King	1,446,000	145	10.03	26,719	18.48	48,733	33.70
	11 1			55,	101.40	40,133	33.70
250,000 to 750,000	11			11		11	
1. Pierce	560,900	67	11.95	10,330	18.42	15,046	26.82
2. Snohomish 3. Spokane	430,400	66	15.33	6,886	16.00	11,831	27.49
J. Spokene	358,000	43	12.01	5,199	14.52	9,073	25.34
100,000 to 250,000	11 1		1			ll .	1
1. Clark	220,400	33	14.97	2,893	13.13	4,962	22.51
2. Yakime	187,800	46	24.49	2,308	12.29	4,384	23.34
3. Kitsap	181,500	29	15.98	2,358	12.99	3,864	21.29
4. Thurston	155,100	17	10.96	2,408	15.53	4,211	27.15
5. Whatcom	122,200	32	26.19	1,719	14.07	3,092	25.30
6. Benton	104,100	11	10.57	1,084	10.41	2,064	19.83
50,000 to 100,000	11 11					ll .	
1. Cowlitz	82,100	21	25.58				l
2. Skagit	72,400	17	23.48	1,134	13.81 17.68	2,027	24.69
3. Greys Harbor	63,600	14	22.01	850	13.36	1,738	29.48 27.33
4. Lewis	58,000	23	39.66	951	16.40	1,644	28.34
5. Island	55,300	8	14.47	485	8.77	882	15.95
6. Clailam	55,200	19	34.42	617	11.18	1,266	22.93
7. Grant	51,900	23	44.32	601	11.58	993	19.13
25,000 to 50,000	11 11						
1. Walla Walla	48,800	8	16.39	491	10.06		40.00
2. Chelan	48,600	15	30.86	802	16.50	946 1,469	19.39
3. Whitman	37,600	13	34.57	353	9.39	672	30.23 17.87
4. Mason	37,500	15	40.00	575	15.33	931	24.83
5. Franklin	34,200	11	32.16	437	12.78	848	24.80
6. Okanogan	31,700	13	41.01	350	11.04	653	20.60
7. Stevens	30,500	6	19.67	361	11.84	517	16.95
8. Kittitas	25,400	20	78.74	600	23.62	1,209	47.60
9. Douglas	25,400	6	23.62	296	11.65	446	17.56
10,000 to 25,000							
1. Jefferson	19,200	14	72.92	309	16.09	482	25.10
2. Pacific	17,700	5	28.25	240	13.56	401	22.66
3. Asotin	17,600	1	5.68	113	6.42	233	13.24
4. Klickitat	16,700	2	11.98	215	12.87	382	22.87
5. Adams	13,400	13	97.01	290	21.64	422	31.49
Under 10,000	11						
1. San Juan	9,700	1	10.31	87	8.97	174	17 0/
2. Pend Oreille	8,900	5	56.18	135	15.17	225	17.94 25.28
3. Lincoln	8,800	3	34.09	139	15.80	189	21.48
4. Skamenia	8,100	5	61.73	127	15.68	219	27.04
5. Ferry	6,100	5	81.97	114	18.69	182	29.84
6. Columbia	4,100	4	97.56	66	16.10	118	28.78
7. Wahkiakum	3,500	1	28.57	43	12.29	75	21.43
8. Garfield	2,300	1	43.48	28	12.17	63	27.39
TOTAL	4,660,700	781	16.76	73,993	15.88	128,800	27.64
			10110	12,773	12.00	1120,000	61.04

^{*}Frequency per 100,000 population **Frequency per 1,000 population

Source: WSP, OFM

Table 1-10a

		Total Co	disions	Traffic F	atalities	Traffic 1	niuries	Pedes	trians	Pedalcy	clists
	Unincorp.							Fatals &		Fatals &	
ounty	Population	Number	Rate**	Number	Rate*	Number	Rate**	Injuries	Rate*	Injuries	Rete
over 100,000								1		1	
1. King	590,456	13,370	22.64	79	13.38	8,391	14.21	175	29.64	125	21.1
2. Pierce	335,644	6,794	20.24	49	14.60	4,901	14.60	88	26.22	61	18.
3. Snohomish	242,944	5,441	22.40	57	23.46	3,588	14.77	45	18.52	49	20.
4. Spokane	168,468	3,048	18.09	34	20.18	2,031	12.06	24	14.25	31	18.4
5. Clark	160,080	3,224	20.14	26	16.24	2,037	12.72	35	21.86	37	23.
6. Kitsap	132,468	2,525	19.06	28	21.14	1,678	12.67	30	22.65	20	15.
7. Whatcom	122,200	1,409	11.53	23	18.82	944	7.73	14	11.46	10	8.1
25,000 to 100,000	1							1 1			
1. Yakima	95,628	1,900	19,87	38	39.74	1,244	13.01	12	12.55	ا ا	6.3
2. Thurston	94,630	1,776	18,77	16	16.91	1,134	11,98	21	22,19	13	13.
3. Island	38,430	664	17.28	8	20.82	390	10.15	5	13.01	4	10.4
4. Skagit	34,920	1,175	33.65	13	37.23	740	21.19	6	17.18	ا ا	8.
5. Lewis	34,870	1,004	28.79	20	57.36	652	18.70	7	20.07	3	8.4
6. Cowlitz	34,755	631	18.16	17	48.91	386	11.11	10	28,77	2	5.
7. Clallen	31,380	635	20.24	17	54.17	347	11,06	3	9.56	1	3.
8. Mason	29,880	690	23.09	13	43.51	452	15.13	1 5	16.73	1 1	3,:
9. Benton	27,775	531	19.12	6	21.60	320	11.52	0	0.00	4	14.4
0,000 to 25,000	i l										
1. Grant	24,938	632	25.34	22	88.22	434	17.40	اه ا	32.08	1 1	4.0
2. Grays Harbor	24,106	899	37.29	10	41.48	564	23.40	اة ا	24.89	1 11 1	45.4
3. Stevens	21,867	434	19.85	6	27.44	324	14.82	3	13.72	1 31	4.
4. Chelan	21,335	748	35.06	15	70.31	484	22.69	3	14.06	5	23.4
5. Douglas	20,259	446	22.01	ا ۱	29.62	296	14.61	4	19.74	3	14.8
6. Okanogan	17,663	590	33.40	13	73.60	318	18.00	5	28.31	1 1	5.6
7. Walla Walla	15,810	357	22.58	5	31.63	221	13.98	2	12,65		0.0
8. Franklin	14, 153	219	15.47	5	35.33	143	10.10	0	0.00	0	0.0
9. Jefferson	12,260	395	32.22	14	114.19	268	21.86	0	0.00	2	16.3
O. Pacific	11,083	367	33.11	5	45.11	231	20.84	3	27.07	2	18.0
1. Klickitet	10,245	349	34.07	2	19.52	206	20.11	4	39.04	0	0.0
Inder 10,000	1 1							1 1			
1. Asotin	9,875	107	10.84	1 1	10.13	61	6.18		0.00	2	20.2
2. Kittitas	9,840	1,015	103.15	20	203.25	533	54.17	ا کا	20,33	2	20.3
3. Sen Juan	8,160	174	21.32	1	12.25	87	10.66	ž	24.51	2	24.5
4. Whitman	6,738	343	50.91	12	178.09	262	38.88	l il	14.84	1	14.8
5. Skemenia	6,555	219	33.41	5	76.28	127	19,37	2	30.51	0	0.0
6. Adams	6,143	353	57.46	13	211.62	255	41.51	7	113.95	1	16.2
7. Pend Oreille	6,107	225	36.84	5	81.87	135	22.11	1 1	16.37	1 1	16.3
8. ferry	5,075	182	35.86	5	98.52	114	22.46	ا ہٰ ا	0.00	1 1	19.
9. Lincoln	3,567	189	52.99	3	84,10	139	38,97	l il	28.03	1 1	28.0
O. Wehkiekum	2,885	75	26.00	1	34.66	43	14,90	ا ا	0.00		34.6
1. Columbia	1,270	as l	65.35	3	236.22	51	40.16	ا ا	0.00	6	0.0
2. Garfield	665	63	94.74	1 1	150.38	28	42.11	l il	150.38	ا ہ ا	0.0

*Frequency per 100,000 population **Frequency per 1,000 population

Source: WSP




Table 1-11


	COLLISI	ON RATES 8	3Y CITY PO 1989	PULATION			
	1989		Deaths*	Traffic I		Total Col	
City	Population	Number	Rate**	Number	Rate***	Number	Rate**
250,000 and Over 1. Seattle	497,200	34	6.84	13,704	27.56	21,600	43.44
100,000 to 250,000 1. Spokane 2. Tacoma	358,000 162,100	9 14	2.51 8.64	3,114 4,563	8.70 28.15	5,903 6,674	16.49 41.17
50,000 to 100,000							
1. Bellevue	86,350	3	3.47	1,471	17.04	2,885	33.41
2. Everett 3. Yekima	64,170 50,610	5 6	7.79 11.86	1,635 820	25.48 16.20	2,923 1,882	45.55 37.19
J. Telkimes] 30,810	"	11,00	020	10.20	1,002	37.19
25,000 to 50,000	1 1						
1. Bellingham	47,290	9	19.03	688	14.55	1,521	32.16
2. Vancouver	44,450	7	15.75	722	16.24	1,460	32.85
3. Renton	38,480	1	2.60	1,061	27.57	2,213	57.51
4. Bremerton 5. Kennewick	37,080 36,880	1 2	2.70 5.42	565 432	15.24 11.71	1,078 871	29.07 23.62
6. Kirkland	36,620	5	13.65	624	17.04	1,275	34.82
7. Kent	34,860	8	22.95	1,185	33.99	2,007	57.57
8. Redmond	33,400	2	5.99	558	16.71	1,050	31.44
9. Auburn	32,460	7	21.57	743	22.89	1,285	39.59
10. Olympia	31,070	0	0.00	758	24.40	1,510	48.60
11. Longview	30,320	4	13.19	532	17.55	904	29.82
12. Richland 13. Edmonds	29,970 29,720	3 1	10.01 3.36	303 261	10.11 8.78	592 602	19.75 20.26
14. Lynnwood	26,280	2	7.61	753	28.65	1,420	54.03
15. Walla Walla	25,690	2	7.79	247	9.61	542	21.10
15,000 to 25,000							
1. Pullman	22,270	1 1	4.49	86	3.86	292	13.11
2. Puyallup 3. Hercer Island	21,290 20,380	1 1	4.70 4.91	367 162	17.24 7.95	695 323	32.64 15.85
4. Wenatchee	19,950	6	0.00	284	14.24	653	32.73
5. Mountlake Terrace	17,590	1	5.69	225	12.79	422	23.99
6. Pasco	17,560	6	34.17	294	16.74	629	35.82
7. Port Angeles	17,490	2	11.44	210	12.01	482	27.56
8. Aberdeen	17,140	3	17.50	181	10.56	542	31.62
9. Lacey	16,940	0	0.00	297	17,53	556	32.82
10,000 to 15,000							
1. Des Moines	14,820	0	0.00	205	13.83	337	22.74
2. Mount Vernon	14,790	1	6.76	287	19.41	503	34.01
3. Oak Harbor 4. Centralia	14,790 11,840	0 3	0.00 25.34	95 205	6.42 17.31	218 422	14.74 35.64
5. Ellensburg	11,730	3	0.00	67	5.71	194	16.54
6. Kelso	11,270	0	0.00	197	17.48	443	39.31
7. Hoses Lake	10,810	0	0.00	120	11.10	266	24.61
8. Anacortes	10,600	0	0.00	66	6.23	144	13.58
9. Bothell	10,430	0	0.00	134	12.85	293	28.09
TOTAL	2,014,690	144	7.15	38,221	18.97	67,611	33.56

^{*}Does not include collisions on limited access roads or freeways **Frequency per 100,000 population ***Frequency per 1,000 population

Source: WSP, OFM

II. Alcohol Involvement

In 1989, 11.2% of all drivers involved in investigated traffic collisions had been drinking alcohol. This is a 3.4% decrease from 1988 and continues a downward trend (Figure 2-1).



A. Drivers Involved In Fatal Collisions

In 1989, 35.0% of the drivers involved in statewide fatal collisions had been drinking intoxicants. This decreased from the 40.6% involvement recorded in 1988 and from the 39.1% baseline period (Table 2-1). In injury collisions, 13.4 drivers out of every 100 had been drinking prior to being involved (Table 2-1a, 2-1b)).

Table 2-1

Source:WSP SOBRIETY OF DRIVER Statewi	S INVOLVED :		COLLISIONS		
	11		Previous	% 0	f Change
	Ye	ar	3 -Year		89 - 3-Year
Condition of Driver (Sobriety)	1989	1988	Average	89-88	Average
Had been drinking - ability impaired	309	340	314	-9.1%	-1.6%
Had been drinking - ability not impaired	33	45	45	-26.7%	-27.2%
Had been drinking - sobriety unknown	12	15	17	-20.0%	-30.8%
Had not been drinking	657	586	587	12.1%	11.9%
Not stated	37	41	41	-9.8%	-9.0%
Total drivers drinking	354	400	377	-11.5%	-6.0%
Total drivers - excluding not stated	1,011	986	964	2.5%	4.9%
Total drivers	1,048	1,027	1,005	2.0%	4.3%
No. drinking drivers per 100 involved	35.0	40.6	39.1	-13.7%	-10.5%
No. drunk drivers per 100 involved	30.6	34.5	32.6	-11.4%	-6.2%

Table 2-1a


Source:WSP SOBRIETY OF DRIVE Statew	RS INVOLVED ide Comparis		COLLISIONS		
	Ti		Previous	% of	f Change
	Ye	ar	3 -Year		89 - 3-Year
Condition of Driver (Sobriety)	1989	1988	Average	89-88	Average
Had been drinking - ability impaired	5,677	5,306	5,165	7.0%	9.9%
Had been drinking - ability not impaired	1,620	1,657	1,734	-2.2%	-6.6%
Had been drinking - sobriety unknown	1,796	2,198	2,238	-18.3%	-19.7%
Had not been drinking	58,541	59,644	56,344	-1.8%	3.9%
Not stated	5,812	4,992	5,057	16.4%	14.9%
Total drivers drinking	9,093	9,161	9,137	-0.7%	-0.5%
Total drivers - excluding not stated	67,634	68,805	65,481	-1.7%	3.3%
Total drivers	73,446	73,797	70,538	-0.5%	4.1%
No. drinking drivers per 100 involved	13.4	13.3	14.0	1.0%	-3.8%
No. drunk drivers per 100 involved	8.4	7.7	7.9	8.8%	6.3%


Table 2-1b


Source:WSP SOBRIETY OF DRIVERS INVOL	VED IN ALL I		D COLLISIO	NS	
	1		Previous	×	of Change
Condition of Driver (Sobriety)	1989	1988	3-Year Average	89-88	89 - 3-Year Average
Had been drinking - ability impaired	9,901	9,532	9,441	3.9%	4.9%
Had been drinking - ability not impaired	3,184	3,368	3,537	-5.5%	-10.0%
Had been drinking - sobriety unknown	3,671	5,149	5,178	-28.7%	-29.1%
Had not been drinking	132,731	137,183	133,414	-3.2%	-0.5%
Not stated	19,181	16,083	16,811	19.3%	14.1%
Total drivers drinking	16,756	18,049	18,156	-7.2%	-7.7%
Total drivers - excluding not stated	149,487	155,232	151,570	-3.7%	-1.4%
Total drivers	168,668	171,315	168,380	-1.5%	0.2%
No. drinking drivers per 100 involved	11.2	11.6	12.0	-3.6%	-6.5%
No. drunk drivers per 100 involved	6.6	6.1	6.2	7.9%	6.3%


B. Alcohol Involvement By Age Group


Drivers under 30 years of age continue to be over-represented in alcohol-related collisions. The 16- to 20-year-old group composed 7.3% of all licensed drivers in the state in 1989, but they were involved in 14.5% of all alcohol-related collisions. This age group was involved in nearly two times more alcohol-related collisions than the percentage of licensed drivers it represented by a ratio of 1.97 (Figure 2-2). The over-involvement ratio for drivers aged 21-24 was 2.52 in 1989. This continues a fairly constant over-representation ratio during the past 5 years (Figure 2-3). Last year, the 25- to 29-year age group was involved in 1.8 times more alcohol-related collisions than the percentage of licensed drivers the group represented (Figure 2-4). The age group 30-54 was under represented by a ratio of 0.8 (Figure 2-5), as were the age groups 55-64 by a ratio of .31 (Figure 2-6), and 65 years and older by a ratio of .18 (Figure 2-7).














C. Drivers Involved in Alcohol-Related Collisions

Data for all collision involvement by driver's age and percent of vehicle miles traveled for each age group reveal that the 16-17 year olds have the greatest overrepresentation in all reported collisions at 4.17. The 18-20 year olds were the second most over-represented group. The age group with the greatest under-representation based on miles traveled was the 55-64 category. Those in the 16- to 17-year-old bracket also displayed the greatest over-representation in alcohol-related collisions based on miles traveled. Second in this ranking was again the 18- to 20-year-old group. The age group 55-64 recorded the greatest under-representation in alcohol-involved collisions with a 0.28 ratio (Table 2-2).

Table 2-2

	ALL REPORTED COL	arison of Mil		LISIONS	
		Drivers in	All Collisions	Alcohol-Rela	ated Collisions
Driver Age	X of Vehicle Miles Traveled*	x	Over/Under Ratio	x	Over/Under Ratio
16-17 18-20	1.44	6.01% 11.36%	4.17 2.05	3.31%	2.30
21-24 25-34	12.58 29.24	12.21%	0.97	18.82% 36.82%	2.07 1.50
55-44 55-54	21.18	19.36% 10.35%	0.91 0.80	17.24%	1.26 0.81
55-64 55 & Over	11.58	6.51% 7.10%	0.56 1.33	6.84% 3.23% 2.25%	0.53 0.28 0.42

Source - Nationwide Personal Transportation Study - U.S. Dept. of Transportation, 1983-84

- Accident Records Unit - Washington State Patrol

Source: WSP, USDOT

Table 2-3 presents a summary of the number of persons killed and injured, number of property damage collisions, and total investigated collisions for drivers under the influence (legally drunk), all drinking drivers (had been drinking but not legally drunk), and non-drinking drivers. Of the had-been-drinking driver collisions, there were 9.5% fewer persons killed and 2.6% fewer received disabling injuries. In addition, there were 2.0% fewer "possible injuries." Property-damage-only collisions decreased by 13.9%, while persons with non-disabling injuries increased by 1.5% in 1989. Of the drivers under the influence, persons killed decreased 6.1% compared to last year. All levels of injury severity increased over last year. Property-damage-only collisions recorded a 0.5% increase. Total "DUI" collisions increased 4.0% overall. Alcohol-related (drivers who had been drinking) collisions recorded a 7.2% decrease when compared to the previous year.

Table 2-3

				Two-Year Con	parison				
	Orivers	Under the	Influence	Drivers Who	Had Been	Orinking*	Non-Drinking	Driver Col	lisions*
Status	1989	1988	X of Change	1989	1988	% of Change	1989	1988	% of Change
Persons Killed	353	376	-6.1%	392	433	-9.5%	389	352	10.5
Persons Injured	8,898	8,359	6.4%	13,660	13,724	-0.5%	49,163	49,348	-0.4
Disabling	1,840	1,832	0.4%	2,595	2,665	-2.6%	5,280	5,470	-3.5
Non-Disabling	4,316	3,986	8.3%	6,516	6,418	1.5%	17,927	17,835	0.5
Possible Injury	2,742	2,541	7.9%	4,549	4,641	-2.0%	25,956	26,043	-0.1
Property Damage									
Collisions**	3,888	3,867	0.5%	7,000	8,129	-13.9%	48,920	48,517	0.8

^{*}Including Drivers Under the Influence


***Investigated Collisions Only

Source: WSP

D. DWI Convictions


In 1989, a higher number of convictions for alcohol-related traffic offenses reversed a six-year downward trend that started in 1983. The 15,657 convictions in 1989 for DWI/Physical Control violations still represented a drop of 46.7% from the 29,385 convictions recorded for the year of 1982. The number of DWI drivers involved in investigated collisions last year increased to 9,900, the highest number recorded since 1981 when 11,666 drivers were involved (Figure 2-8).

^{**}Minimum damage for a reportable collision was increased from \$300 to \$500 on 10-1-87;




E. Location of Alcohol-Related Collisions


Alcohol-related collisions increased in rural areas and decreased in urban areas during 1989. In 1989, 55.0% of the alcohol-related collisions occurred in rural areas and 45.0% in urban areas (Figure 2-9).



F. Multiple- and Single-Vehicle Collisions


The predominant type of alcohol-related vehicle collisions continued to be multiple-vehicle mishaps in urban areas (Figure 2-10) and single-vehicle collisions in rural areas (Figure 2-11). In urban areas, 66.1% of the collisions involved two or more vehicles as opposed to only 36.6% on rural roads.






The percentage of all single-vehicle collisions where the driver had been drinking remained relatively stable at nearly half of the total alcohol-involved collisions for 1989. In comparison, single-vehicle collisions represented only 21.5% of the total collisions in 1989 (Figure 2-12). To express the over-representation of alcohol in single vehicle collisions, the percentage of alcohol involvement in single-vehicle collisions is compared to the percentage of single-vehicle collisions in total vehicle collisions. This ratio increased slightly from 2.27 in 1988 to 2.3 in 1989.

Figure 2-12 shows over-involvement of single-vehicle alcohol-involved collisions compared to single-vehicle collisions in total collisions.




G. Weekend Alcohol Involvement

Weekend alcohol-related collisions occurred at a rate that was 1.69 times greater than the overall percentage of weekend collisions (Friday 6 p.m. to Sunday midnight). This over-representation ratio has remained fairly constant over the previous four years (Figure 2-13). A further breakdown compares the percent-




age of alcohol-involved collisions occurring Friday and Saturday between the hours of 8 p.m. to 3 a.m. to the percentage of the total week's collisions occurring in the same time frame; the alcohol-related collisions were more than 3 times over-represented during 1989. This is slightly above the over-representation ratio registered for the previous four years (Figure 2-14).




H. Fatal Alcohol-Involved Collisions Occurring At Night


The ratio of all nighttime fatal collisions involving alcohol to all alcohol-related fatal collisions increased during 1989 as compared to the previous year and to the four-year baseline. All nighttime fatal collisions composed 52.2% of the year's total fatal collisions, while alcohol-related nighttime fatal collisions increased to 73.8% of all nighttime fatals. Alcohol-related fatal collisions at night over-represent all nighttime fatal collisions by a ratio of 1.42, up from the previous four-year period ratio (Figure 2-15).




I. Ratio of Drinking and Drunk Drivers Involved In Fatal Traffic Collisions by Roadway Type

Of all drivers involved in fatal collisions in 1989, 35% had been drinking prior to the collision. This is a substantial decrease from 40.6% the previous year and down slightly from the previous five-year average of 38.8% (Figure 2-16). Just over eleven percent (11.2%) of the drivers involved in all investigated collisions had been drinking prior to the collision; a considerable drop from the 18.2 percent reported in 1981. Also recording a significant decrease (-25.4%) during the 8-year period was the number of drivers found to be under the influence while involved in traffic collisions. During last year, however, the ratio of DUI drivers







The total frequency of particular blood alcohol concentration (BAC) levels in fatal and serious injury collisions for 1989 by age group is presented in Table 2-4. The 16-20 and 21-24 age groups evidenced the greatest incidence of involvement for .05-.19 BAC levels. At the .10-.14 BAC range, the 21-24 age group had the greatest frequency of occurrences. At the .15 through the .29 BAC levels, the 25-29 age group had the greatest frequency of occurrences. Overall, the 16-20, 21-24, 25-29, and 30-34 age groups displayed the highest incidence of involvement at all BAC levels.

Table 2-4

	CHEMICAL	. TEST FO	R INTOXI	CATION 1	IN FATAL 1989*	& SERIOL	S INJURY (COLLISIONS	•	
			Test Given No	Test	Total					
Age	.0004	.0509	.1014	.15-19	.2024	.2529	.30 & Up	Results	Refused	Tested
16-20	26	75	106	70	26	8	1	134	52	498
21-24	22	54	136	147	60	19	3	171	95	707
25-29	23	47	123	162	88	38	2	175	163	821
30-34	12	30	69	118	75	32	11	142	119	608
35-39	7	22	52	65	61	26	6	99	88	426
40-44	6	14	25	43	30	13	7	43	60	241
45-49	2	8	20	30	32	10	4	26	36	168
50-54	2	4	4	16	8	9	1	16	23	83
55-59	0	4	11	11	10	3	0	16	12	67
60-64	1	4	5	8	4	4	2	7	6	41
65-69	0	2	5	8	2	1	2	7	2	29
Over 69	2	4	6	4	3	2	0	10	2	33
TOTAL	103	268	562	682	399	165	39	846	658	3,722

*This data is for one year only. Up to the 1990 HSP, it has been for four years.

Source: WSP

An analysis of roadway type by day of week on which alcohol-involved fatal and serious injury collisions occurred is given in Table 2-5. County roads accounted for 35.7% of the total weekly collisions compared to 27.5% for city streets. U.S. and state routes totaled 26.6% while the interstates contributed to 8.9% of the weekly total of fatal and serious alcohol-involved collisions during 1989. The table also reveals that during this period of time, Saturday was the day with the greatest frequency of fatal and serious injury collisions involving alcohol. Sunday and Friday were the next highest days in that order (Figure 2-18).

Table 2-5

Source: WSP FATAL &	SERIOUS				NVOLVII		HOL		
				Day of	Week				% of Total
Roadway Type	Mon	Tue	Wed	Thu	Fri	Sat	Sun	Total	Collisions
County Roads	218	235	240	266	389	548	469	2,365	35.7%
City Streets	163	182	201	205	278	439	356	1,824	27.5%
U.S. & State Routes	146	162	166	186	304	433	367	1,764	26.6%
Interstate & Full Control	65	43	47	68	94	129	145	₹ 591	8.9%
Other Routes	8	6	6	7	11	28	23	89	1.3%
Total	600	628	660	732	1,076	1,577	1,360	6,633	100.0%
% of Total	9.0%	9.5%	10.0%	-		****	-0	*****	




Table 2-6 depicts the number of persons killed and injured by drivers "under the influence" and who "had been drinking" by month for 1987, 1988, and 1989. The last four months of 1989 recorded the highest incidence of persons injured for both categories of alcohol-involved drivers, with the exception of the month of July. During July, 864 persons were injured by drivers "under the influence" and 1,335 persons were injured by drivers who "had been drinking."

Table 2-6

						ear Con			14. 00	ad Been	Orinkina	
			"Under					ons Ki			ons Inju	-
Month	1989	ons Kil 1988	1987	1989	ons Inj 1988	1987	1989	1988	1987	1989	1988	1987
January	25	17	16	617	491	523	26	18	19	976	866	861
February	11	27	25	433	554	488	11	28	27	702	876	849
March	19	42	26	566	669	617	20	47	31	920	1,053	1,061
April	25	27	24	689	684	656	29	36	31	1,066	1,130	1,110
May	42	39	28	784	785	748	46	47	32	1,196	1,284	1,257
June	24	47	44	782	722	662	27	50	47	1,185	1,133	1,130
July	40	37	29	864	842	715	42	45	40	1,335	1,372	1,266
August	31	30	41	744	715	823	36	35	46	1,202	1,170	1,405
September	40	35	33	825	687	730	45	38	39	1,264	1,173	1,151
October	33	27	34	842	756	690	43	32	36	1,261	1,321	1,194
November	32	30	27	862	684	710	33	35	31	1,292	1,126	1,18
December	31	18	l 10 l	890	770	608	34	22	17	1,261	1,220	1,090

Source: WSP

III. Youth Involvement

During 1989, youthful drivers 24 years and younger were involved in 58,410 reported collisions, of which 268 were fatal collisions and 25,209 were injury collisions. This was a 4.7% decrease in reported collisions and an 8.8% decrease in fatal collisions, but a 2.8% increase in injury collisions compared to the four-year baseline. There were 496,433 licensed drivers 24 years old and younger in 1989, up slightly from the baseline period. The total collision rate (total collisions per 1,000 licensed drivers) of 11.77 for 1989 was down slightly from the 12.20 rate for the baseline average (Table 3-1).

Table 3-1

УОЦТИ	FUL DRIVERS		S & YOUNG F Compari:		VED IN COL	LISIONS	
			Year			Previous 4-Year	% of Change 89 - 4-Year
Collisions & Rates	1989	1988	1987	1986	1985	Average	Average
Youthful drivers involved in							
Total Collisions	58,410	60,695	63,531	61,568	59,465	61,315	-4.7%
Fatal Collisions	268	290	286	283	316	294	-8.82
Injury Collisions	25,209	25,809	22,834	25,462	23,951	24,514	2.8%
Licensed Drivers	496,433	497,527	490,144	485,889	504,107	494,417	0.4%
Fatal Collision Ratio*	4.59	4.78	4.50	4.60	5.31	4.80	-4.4%
Fatal Rate**	0.54	0.58	0.58	0.58	0.63	0.59	-9,1%
Total Collision Rate***	11.77	12.20	12.96	12.67	11.80	12.41	-5.22

^{*} Fatal Collisions per 1,000 total collisions

Source: WSP, DOL

A. Youthful Drivers Involvement In Collisions By First Harmful Event

In 1989, 74.1% of those drivers age 24 years and younger involved in collisions collided with other moving vehicles. This type of collision also resulted in the greatest percentage of fatal collisions (47.0%) and injury collisions (72.0%). Single-vehicle collisions with fixed objects led to the second highest percentage of youthful driver involvement in total, fatal and injury collisions at 15.1%, 26.9% and 16.2% respectfully (Table 3-2).

^{**} Fatal Collisions per 1,000 licensed drivers


^{***} Youthful drivers involved per 100 licensed


Table 3-2


Source: WSP COLL!	ISIONS INVOLV By First H	ING YOUTHFU armful Even	_			
	II Total Co	Illisions	Fatal Co	Llisions	Injury Co	illsions
Type of Collision	Kumber	X of Total	Number	of Total	Number	x of Tota
Collision with other moving motor vehicles	38,493	74.7%	117	47.0%	15,922	72.0%
Collision with parked vehicle	1,772	3.4%	5	2.0%	454	2.1%
Collision with fixed/other object	7,801	15.1%	67	26.9%	3,590	16.2%
Overturning & other non-collision	2,466	4.8%	36	14.5%	1,447	6.5%
Collisions with pedestrians & pedalcyclists	672	1.3%	22	8.8%	648	2.9%
Other collisions - animal & R.R. train	303	0.6%	2	0.8%	66	0.3%
TOTAL	51,507	100.0%	249	100.0%	22,127	100.0%


B. Youthful Collision Involvement By Age Group


The 16- to 20-year-old age group was involved in 17.4% of all collisions. This group's over-representation ratio dropped from 2.41 in 1988 to 2.36 in 1989. However, it is still the highest over-representation ratio for any age group (Figure 3-1). The 21- to 24-year-old age group slightly decreased its over-representation ratio from 1.65 in 1988 to 1.63 in 1989 (Figure 3-2). The 25-29 age group posted an over-representation ratio of 1.24, up from the previous year's 1.24 (Figure 3-3). The 30-54 and 55-year-old-and-older age groups continued to be under-represented in total collisions compared to the groups' percentages of all licensed drivers (Figure 3-4 and 3-5).














C. Collision Severity By Area For Youthful Drivers

In 1989, the urban and rural area collision mix remained virtually unchanged, with the urban areas recording 57.4% of collisions involving youthful drivers (24 years old and younger) and the rural areas recording 42.6% (Figure 3-6). Youthful driver injury collisions in urban areas increased slightly to 54.1%, while the rural areas decreased accordingly (Figure 3-7). Youthful driver fatal collisions continued to be far more common in rural areas. In 1989, 80.3% of the fatal collisions involving youthful drivers occurred in rural areas, higher than the 76.8% recorded in 1988 and higher than the 1985-1988 average of 74.4%. The urban areas recorded 19.7% of the fatal crashes, down from 23.7% the year earlier (Figure 3-8).










D. Youthful Driver Involvement By Time


In 1989, 25.5% of all the rural fatal collisions involving youthful drivers occurred on Saturday. Sunday had the next highest percentage with 19.5%. The highest frequencies of all reported collisions occurred on Friday and Saturday, each recording 17% of the week's total collisions (Figure 3-9). In urban areas Sunday had the highest occurrence of fatal crashes involving youthful drivers (20.4%). Friday recorded 19.4% of the urban total collisions for 1989, while Monday recorded the fewest collisions (6.1%). Note the significant increases throughout the week, Monday through Sunday, in total urban collisions (Figure 3-10).





In rural areas, the greatest percentage (19.0%) of youthful driver involvement in fatal collisions occurred from midnight to 3 a.m.. The greatest percentage of total collision involvement (23.9%) for these drivers in rural collisions was from 3 p.m. to 6 p.m. (Figure 3-11). In the urban areas, the greatest youthful involvement by time period in fatal collisions was 24.5% from 9 p.m. to midnight followed by 20.4% in the midnight to 3:00 a.m. time period. The 3 p.m. to 6 p.m. time period recorded 27.4% of the youthful drivers involved in total urban collisions (Figure 3-12).





IV. Safety-Restraint Use

Out of a total of 197,394 occupants involved in total investigated collisions, 159,592 were using safety restraints. This is a usage rate of 80.8%, which marks the eighth consecutive year of increases in safety-restraint use since 1981, when the usage rate in investigated collisions was 15.9% (Table 4-1).

Table 4-1

					USAGE RATE Comparison					
Status	1989	X	1988	X	1987	X	1986	x	1985	7.
Restraints Used No Restraints Used	159,592 37,802	80.8% 19.2%	161,667 40,387	80.0% 20.0%	152,413 44,081	77.6% 22.4%	102,751 85,669	54.5% 45.5%	60,392 111,885	35.12 64.92
TOTAL	197,394	100.0%	202,054	100.0%	196,494	100.0%	188,420	100.0%	172,277	100.03

Note: Usage rate is the percent of occupants using the restraints among all occupants involved in collisions for whom the usage is known.

Source: WSP

Last year, 395 occupants who were not using any type of restraint died and 2,776 non-restrained occupants were seriously injured. Based on 1989 investigated collision data, it is estimated that an occupant who does not "buckle up" is ten times as likely to be killed and over four and one half times as likely to be seriously injured than one who does "buckle up" (Table 4-2).

Table 4-2

	Restrain	ts Used	Child Rest	raints**	No Rest	raints	Total Occupants		
Туре	Number	%	Number	X.	Number	x	Number	X	
Deaths	142	0.1%	1	0.0%	395	1.0%	537	0.37	
Disabling Injuries	2,599	1.6%	15	0.6%	2,776	7.3%	5,375	2.7	
Evident Injuries	11,805	7.4%	143	5.3%	7,676	20.3%	19,481	9.9	
Possible Injuries	21,565	13.5%	173	6.4%	5,454	14.4%	27,019	13.7	
No Injuries	123,461	77.4%	2,358	87.7%	21,485	56.9%	144,946	73.4	
TOTAL	159,572	100.0%	2,690	100.0%	37,786	100.0%	197,358	100.0	

^{*}Excludes cases where injury severity was not stated or where restraint use was unknown.

**Included with Restraints Used Category.

A. Restraint Use by Sex and Age

In 1989 collisions, 86.0% of the female drivers used their restraints, while 81.4% of the male drivers used theirs. Female passengers used restraints at a rate of 79.0% compared to 71.9% for male passengers. The 0-5 age group had the highest restraint use of any age group at 85.8%. The age group with the lowest usage rate was the 16-19 year olds at 74.8%. All age groups showed slight increases in the usage rate, with the exception of the 0-5 age group which recorded a decrease from the previous year (Tables 4-3 and 4-4).

Table 4-3

	USAGE RA Five-Year	TES BY SE Comparis	-		*
	T	Percent U	sed Restr	aints	
Occupant	1989	1988	1987	1986	1985
Male Driver	81.4	80.3	77.8	54.0	34.3
Female Driver	86.0	85.5	83.3	59.6	38.8
Male Passenger	71.9	70.9	69.0	46.7	29.4
Female Passenger	79.0	78.5	75.9	55.0	36.0

Source: WSP

Table 4-4

	Five-Year	TES BY AGI Compariso	_		
		Percent (Jsed Resti	raints	
Occupant	1989	1988	1987	1986	1985
Age 0-5	85.8	86.6	85.6	81.0	73.1
Age 6-15	75.3	74.2	72.5	51.5	31.3
Age 16-19	74.8	74.5	71.6	44.2	25.4
Age 20-24	76.4	75.8	72.7	47.5	28.5
Age 25-34	80.6	79.5	77.4	55.3	36.6
Age 35-64	85.8	85.0	82.9	60.6	39.7
Age 65 & Up	85.1	84.5	82.6	58.2	34.7

*Excludes occupants where restraint use was unknown

^{*}Excludes occupants where restraint use was unknown

Examination of restraint use by occupant age for 1989 reveals that the under one-year-old infant had the highest usage rate at 90.6%. The lowest rate of restraint use (67.6%) was for 15-year-old occupants. Teenage occupants recorded the lowest usage rate of any group with 73.9% (Table 4-5).


Table 4-5

Source	:WSP,WSDOT			AINT USAGE cupent Age					
		Se	at Belt Ty	pe		Total Rest	raints Used	Restrain	ts Not Used
Age	Lap Belt	Shoulder Belt	Lap & Shoulder Belt	Child Restraint	Air Bag Activated	Number	Percent Used	Number	Percent Not Used
Under 1	33	7	77	492		609	90.6%	63	9.4%
1	110	12	131	844		1,097	89.6%	127	10.4%
2	323	13	249	533		1,118	86.9%	168	13.1%
3	472	17	335	282		1,106	85.3%	191	14.7%
4	548	16	448	127		1,139	82.3%	245	17.7%
5	431	22	391	53		897	81.2%	208	18.8%
6	465	17	378	17	220	877	82.6%	185	17.4%
7	391	19	328	100	242	738	81.4%	169	18.6%
8	391	16	353			760	80.6%	183	19.4%
9	354	11	319			684	78.6%	186	21.4%
10	334	15	362		**	711	79.4%	185	20.6%
11	299	16	336	2000	E #0	651	79.0%	173	21.0%
12	285	24	360	1990	- ac-	669	79.9%	168	20.1%
13	277	21	361	94		659	71.6%	262	28.4%
14	337	32	538		1	908	68.8%	411	31.2%
15	542	47	1,004	S##:	2	1,595	67.6%	765	32.4%
16	1,066	168	3,332	0885	0	4,566	75.0%	1,525	25.0%
17	1,175	192	4,435	1.443	1	5,803	75.2%	1,911	24.8%
18	1,236	218	4,824	***	0	6,278	74.5%	2,154	25.5%
19	1,044	204	4,467	**	2	5,717	74.3%	1,975	25.7%
20	904	182	4,085		1 1	5,172	75.0%	1,726	25.0%
21 - 24	2,842	591	13,911	.**	5	17,349	76,7%	5,275	23.3%
25 - 29	3,185	591	15,856		5	19,637	79.6%	5,030	20.4%
30 - 64	9,930	1,979	53,453		23	65,385	84.6%	11,896	15.4%
65 & Over	1,534	411	8,965		2	10,912	87.8%	1,519	12.2%
Age Unknown	529	115	2,018	227	0	2,889	76.3%	899	23.7%
TOTAL	29,037	4,956	121,316	2,575	42	157,926	80.8X	37,599	19.2%

B. Restraint Use by Driver Occupation

The usage rate of safety restraints by occupation of driver ranges from a high of 95.6% for law officers to a low of 62.6% for farmers and farm laborers. Usage rates for all occupations with the exception of the military, house wife/domestic, and farmer showed modest increases for 1989 (Figure 4-1).


Figure 4-1



C. Restraint Use by County

A graphic depiction of restraint use by county is presented in Figure 4-2. King County, at 86.0%, had the highest usage rate of all counties in the state in 1989. Island County had the next highest usage rate at 85.4%. The three counties with the lowest usage rate was San Juan, Stevens, and Asotin Counties, recording usage rates of 56.8%, 57.5%, and 57.8% respectively.

Figure 4-2



D. Restraint Use by Road and Vehicle Type

Freeway travel (interstates) had the highest usage rate by vehicle occupants at 87.0%. Occupants of vehicles traveling on all other roadways, including forest service roads and recreational roads that are open to the public, recorded the lowest usage rate at 60.9%. The Occupant usage rate in 1989 increased on all types of roadways, with the exception of the "All Other Roadway" category which recorded a 3.1% decrease (Table 4-6).

Table 4-6

Source: WSP, WSDOT	RESTR By Function	AINT USAGE al Class o			
Functional Class	1989	1988	1987	1986	1985
Interstate Other state routes County Roads City Streets All others	87.0% 81.5% 75.9% 81.5% 60.9%	86.5% 79.8% 75.0% 80.7% 64.0%	84.6X 82.0X 72.5X 77.9X 63.6X	66.8% 56.0% 50.5% 52.6% 41.8%	49.65 34.95 31.65 32.15 29.75

Examination of safety-restraint use by vehicle type reveals modest increases in usage rates for all types of vehicles. Passenger cars recorded the highest usage rate at 82.1%. The classification of all other vehicles recorded the lowest rate at 73.2%. However, this group showed the largest increase of restraint use in 1989 (Table 4-7).

Table 4-7

Source: WSP, WSDOT RESTRAINT USAGE RATE BY TYPE OF VEHICLE DRIVERS Five-Year Comparison											
Type of Vehicle	1989	1988	1987	1986	1985						
Passenger car	82.1%	81.6%	78.9%	56.6%	36.8%						
Light Trucks	78.0%	76.2%	73.1%	48.8%	29.8%						
Heavy Trucks	75.8%	71.7%	67.7%	49.9%	27.3%						
All others	73.2%	68.3%	69.5%	52.9%	34.6%						

In 1989, 94.3% of the occupants were using safety restraints in "other government (federal agency) registered vehicles" involved in collisions. The next highest usage rate was the 87.4% reported for "municipal government registered vehicles." Occupants of county registered vehicles had the lowest usage rate of occupants in all government owned vehicles at 80.7%. Usage rates by occupants of state-registered vehicles was lower in 1989 (81.0%) than in the previous year (87.8%), but this was the only group that recorded a decrease (Table 4-8).

Table 4-8

RESTRAINT USAGE RATE BY TYPE OF GOVERNMENT VEHICLE Five-Year Comparison										
Type of Government Vehicle	1989	1988	1987	1986	1985					
State registered vehicles	81.0%	87.8%	93.8%	76.3%	77.4%					
County registered vehicles	80.7%	75.8%	78.2%	63.8%	49.5%					
Municipal registered vehicles	87.4%	79.4%	85.9%	66.3%	49.9%					
Other government registered vehicles	94.3%	93.8%	87.6%	84.1%	68.3%					

E. Usage Rate by Proximity

Drivers residing within 15 miles of the collision scene recorded the lowest safety-restraint usage rate at 82.7%. Drivers residing in another state recorded the highest usage rate, 85.4%. All categories continued to record increases in restraint usage over previous years (Table 4-9).

Table 4-9

SOURCE WSP, WSDOT RESTRAINT USAGE RATE Five-	BY PROXIMIT Year Compari		R RESIDENC	E .	
Residence Proximity	1989	1988	1987	1986	1985
Resided within 15 miles of collision Resided over 15 miles Residing in other state	82.7% 84.4% 85.6%	81.9% 84.0% 83.4%	79.7% 80.4% 79.1%	55.5% 58.1% 60.0%	35.37 38.97 41.37

F. Restraint Use by Seat Position

An examination of restraint usage by seat position reveals that drivers were the most frequent users at 82.9%. Occupants in the left-back and right-back positions were the next most frequent restraint users at 78.4%. Occupants riding in the midfront used restraints the least at 57.0% (Table 4-10).

Table 4-10

Source: WSP, WSDOT RESTRAI	NT USAGE RATE BY OCCUP		DSITION		
Occupants	1989	1988	1987	1986	1985
Driver	82.9%	82.1%	79.7%	55.9%	35.8%
Mid-front	57.0%	54.8%	51.8%	34.0%	21.2%
Right-front	78.3%	78.0%	74.9%	51.9%	31.9%
Left-back	78.4%	77.7%	74.9%	58.1%	42.6%
Mid-back	68.9%	66.7%	62.4%	44.4%	33.3%
Right-back	78.4%	77.8%	74.1%	58.0%	40.8%
Other	31.6%	29.0%	28.8%	21.5%	20.33
TOTAL	80.9%	80.1%	77.6%	54.5%	35.13

Table 4-11 presents 1989 restraint usage by occupant age and seat position. Children aged 0-4 sitting in the right-back and left-back seats recorded the highest usage rate at 92.9% and 91.8% respectively. The 5-9 age group also used safety-restraints most frequently in the left-back (89.3%) and right-front (84.7%) seat positions. The seat position with the lowest reported usage rate for younger groups (20 and under) was the mid-front seat, while the lowest reported usage rate for occupants 21 years of age and older were in the mid-back position. The driver continued to "buckle up" more than any other occupant for those aged 15 through 64. The right-front occupant was the most frequent restraint user at 89.2% in the 65 and over age group.

Table 4-11

Source: WSP, WSDOT		Ву	RESTRA Occupant	INT USAG Age & S		tion		
				Age				
Seat Position	0-4	5-9	10-14	15-20	21-24	25-29	30-64	65 & Over
Driver	2.00			82.8	79.1	81.3	85.1	87.7
Mid-front	76.2	68.6	55.8	45.1	49.7	50.6	58.7	80.8
Right-front	86.2	84.7	78.3	72.5	72.5	76.0	81.9	89.2
Left-back	91.8	89.3	80.2	64.1	65.4	65.5	72.4	88.8
Mid-back	89.0	73.3	70.7	51.1	43.0	46.3	49.1	71,0
Right-back	92.9	84.2	82.8	66.5	66.8	70.8	75.3	83.4
Other	42.5	42.9	38.6	17.6	20.6	7.3	26.1	58.
Seat location unknown	68.0	66.5	48.7	57.1	43.9	49.2	50.6	28.0
	1		Ü			J (r		

F. Restraint Use by Severity of Collision


A more detailed breakdown of types of restraints used by injury severity is presented for 1989 in Table 4-12. Of 537 occupants killed in vehicle collisions, 395 (73.6%) were not using restraints. Of the 5,375 persons sustaining disabling injuries by collisions, 51.6% were using no restraints. No injuries were reported in investigated collisions for 65.0% of the occupants who were restrained with the combination lap/shoulder belts, an increase from the 62.2% reported for 1988 and 57.9% reported for 1987.

Table 4-12

					YPES OF RES							
	Number	Used	Death	hs	Disablin	g Injury	Evident	Injury	Possible	Injury	No In	jury
Туре	Number	×	Number	x	Humber	×	Number	×	Number	х	Number	<u>x</u>
Lap Belt	29,205	14.8%	18	3.4%	474	8.8%	2,450	12.6%	3,414	12.6%	22,849	15.8%
Shoulder Belt	4,983	2.5%	1	0.2%	100	1.9%	352	1.8%	581	2.2%	3,949	2.7%
Lap & Shoulder Belt	122,648	62.1%	121	22.5%	2,006	37.3%	8,850	45.4%	17,389	64.4%	94,282	65.0%
Child Restraint	2,693	1.4%	1	0.2%	15	0.3%	143	0.7%	176	0.7%	2,358	1.6%
Air Bag (Activated)*	43	0.0%	1	0.2%	4	0.1%	10	0.1%	5	0.0%	23	0.0%
No Restraints	37,786	19.1%	395	73.6%	2,776	51.6%	7,676	39.4%	5,454	20.2%	21,485	14.8%
TOTAL OCCUPANTS	197,358	100.0%	537	100.0%	5,375	100.0%	19,481	100.0%	27,019	100.0X	144,946	100.0

*Less than 1/10 of 1 percent

Of all collision-involved drivers in 1989, those who had been drinking displayed a greater tendency not to use restraints than those drivers who had not been drinking. The latter category revealed a restraint-usage rate of 86.1% compared to a usage rate of 46.5% for drivers under the influence and 54.3% for drivers who had been drinking intoxicating liquor (Figure 4-3).



G. Measuring Restraint Use

Historically, restraint usage rates in this state have been calculated and reported based on collision data supplied by investigating enforcement agencies. This data is accurate when based on direct observation by the investigating officer. In some cases, however, the officer must rely on statements of those actually involved in the collision. Since Washington has a mandatory seat belt use law, the human tendency to report compliance with the law (when, in fact, no belt was worn) artificially inflates the usage rate.

Direct observation of seat belt use has become the method of choice among many state and national highway safety agencies. However, because of difficulties in viewing belt use, these rates tend to be artificially low. They are nevertheless considered by national safety leaders to be more accurate than rates based on reported collision data. National goals, such as a 70% usage rate by 1992, are based on observational studies.

Washington State's seat belt usage rate based on investigated collisions is about 80%, while the state's rate based on observational studies is less than 60%. The WTSC will combine its use of observational studies with investigated collision reports in coming years, and will do research into converting to a uniform data base.

V. Motorcycle Collisions

Motorcycle fatal collisions decreased 13.0% in 1989 when compared to the previous four-year baseline average, and 0.3% from the previous year. Total reported collisions decreased at even a greater rate, recording a 24.7% decrease from the baseline average. Registration in 1989 totaled 110,617 motorcycles, a decrease of 9.6% from the baseline period. The motorcycle collision rate of 2.27 for 1989 was down 16.5% from the baseline rate of 2.72 motorcycle collisions per every 100 registered (Table 5-1).

		CYCLE COL ive-Year					
			Year			Previous 4-Year	% of Change 89 - 4-Year
Collision Severity/Exposure & Rates	1989	1988	1987	1986	1985	Average	Average
Total Collisions	2,516	2,773	3,379	3,508	3,699	3,340	-24.67%
Fatal Collisions	70	72	88	80	82	81	-13.04%
Fatal Collision Ratio*	27.8	26.0	26.0	22.8	22.2	24.2	14.755
Motorcycle Registration	110,617	117,155	124,215	122,751	125,224	122,336	-9.58
Total Collision Registration Rate**	2.27	2,37	2.72	2.86	2.95	2.72	±16.525
Fatal Registration Rate***	0.633	0.615	0.708	0.652	0.655	0.657	-3.74
Total Persons Killed	75	77	90	81	85	83	-9.91
Total Persons Injured	2,724	2,896	3,497	3,673	3,884	3,488	±21.89
Motorcycle Drivers Killed	59	66	86	71	75	75	-20.81
Motorcycle Drivers Injured	2,119	2,320	2,729	2,909	3,054	2,753	-23.03
Motorcycle Passengers Killed	10	10	3	9	7	7	37.93
Motorcycle Passengers Injured	392	383	513	518	577	498	-21.25

^{*}Fatal Collisions per 1,000 motorcycle collisions

A. Motorcycle Collisions By Age Group

The 16- to 29-year-old motorcycle rider continues to be over-represented in the accident population compared to the percentage of licensed motorcycle drivers comprising that age group. The 16-18 year olds were involved in 9.6% of the total collisions, but comprise less than 1% of the motorcycle-endorsed drivers. The 25-to 29-year-old motorcycle riders were involved in the largest percentage of fatal, injury, and total reported collisions (22.2%, 18.7%, and 19.0% respectively). However, they made up only 13.2% of the licensed operators with motorcycle endorsements. From age 30 on up, motorcycle riders are under-represented (Table 5-2).

Source: WSP_DOL

^{**}Motorcycle involved per 100 registered

^{***}Fatal Collisions per 1,000 motorcycles registered

Table 5-2

Source: WSP, DOL		Comparís	MOTORO son of Calli	YCLE DRIVE sions to L		vers		
	Fatal Co	llisions	Injury Co	llisions	Total Co	llisions	% of Endorsed	Over/Under Ratio in Total
Age	Number	x	Number	×	Number	X	Drivers	Collisions
Under 16	0	0.0%	35	1.6%	37	1.5%	0.00	1222
16	2	2.8%	32	1.5%	37	1.5%	0.03	51.54
17-18	2	2.8%	159	7.4%	170	7.1%	0.43	16.52
19-20	9	12.5%	268	12.6%	299	12.5%	1.53	8.17
21-22	9	12.5%	221	10.4%	258	10.8%	2.49	4.33
23-24	4	5.6%	204	9.6%	228	9.5%	3.21	2.97
25-29	16	22.2%	400	18.7%	454	19.0%	13.18	1.44
30-34	14	19.4%	289	13.5%	322	13.5%	19.54	0.69
35-39	5	6.9%	207	9.7%	222	9.3%	19.90	0.47
40-44	4	5.6%	126	5.9%	149	6.2%	14.55	0.43
45-54	4	5.6%	134	6.3%	150	6.3%	14.80	0.42
55-64	2	2.8%	37	1.7%	40	1.7%	6.95	0.24
65 & over	1	1.4%	23	1.1%	27	1.1%	3,40	0.33

B. Motorcycle Collisions By Location

Table 5-3 displays a breakdown of motorcycle collision data totals for urban and rural areas as well as statewide for 1989 and 1988. In 1989, rural areas again led urban areas in the total number of fatal collisions, 47 to 23, while urban areas led rural areas in total number of injury collisions, 1,206 to 965. The urban areas of the state recorded a reduction of 5 in the number of motorcyclists killed, down 17.9% from the 28 killed in 1988. Motorcyclist injuries in the urban area increased by 4, while the number of rural injuries dropped 261, or 18.7%, from the previous year.

Table 5-3

Source: WSP	MOTORCYCLE COLLISIONS BY LOCATION Two-Year Comparison										
	TI	1989			1988						
Severity of Collision	Urban	Rural	Statewide	Urban	Rural	Statewide					
Total Collisions	1,417	1,099	2,516	1,468	1,305	2,773					
Fatal Collisions	23	47	70	25	47	72					
Injury Collisions	1,206	965	2,171	1,247	1,146	2,393					
Property-damage-only Collisions	188	87	275	196	112	308					
Total Fatalities	25	50	75	28	49	77					
All Persons Injured	1,485	1,239	2,724	1,481	1,415	2,896					
Motorcyclists Killed	23	46	69	28	49	77					
Motorcyclists Injured	1,376	1, 135	2,511	1,396	1,341	2,737					


A further breakdown of 1989 motorcycle collisions by road type indicates that 53.5% of the total collisions, 52.6% of the injury collisions, and 30.02% of the fatal collisions occurred on city streets. County roads accounted for 50% of the fatal collisions and 26.4% each of the injury collisions and the total collisions. All state routes (interstates, U.S. and state routes) recorded 11.4% of the fatal, 19.5% of the injury and 18.8% of the total reported motorcycle collisions (Table 5-4).

Table 5-4

		HOTORCYCLE By Loca		S		
		Collis	ions		Perso	ons
Location	Total	Fatal	Injury	P.D. Only*	Killed	Injured
Interstate System	171	6	148	17	6	180
U.S. Route No.**	52	2	48	2	2	74
State Route No.**	249	6	227	16	6	294
County Roads	664	35	574	55	38	730
City Streets***	1,347	21	1,143	183	23	1,410
Other Traffic Ways	33	0	31	2	0	36
Total	2,516	70	2,171	275	75	2,724

Source: WSP

Total frequency of motorcycle collisions occurring on city streets, county roads, and all state routes decreased during 1989. This continues a four-year trend. Motorcycle collisions occurring on state routes continued a downward trend, with an eight-year low of 472 collisions in 1989. County roads also recorded an eight-year low after slight increases in 1985 and 1987 (Figure 5-1).




C. Over/Under Representation of Motorcycle Drivers by Age

Figure 5-2 shows that motorcycle riders under 29 years of age, particularly those 20 years old and younger, continue to be over-represented in total motorcycle collision involvement when compared to the percentages of licensed motorcycle riders comprising their age group. The 30-year-old and over age group continues to be under-represented.

^{*}Property Damage Only

^{**}Excluding city streets

^{***}Including U.S. and State Routes in cities



Speed too fast for conditions caused most of the motorcycle collisions for all age groups contributing to 24.1% of the year's motorcycle violations and was the prominent driver violation in all age groups. Driving while intoxicated was the second most prominent violation, contributing 15.4% to total motorcycle driver violations. Motorcyclists driving over the speed limit was the third leading violation, contributing to 13.2% of the violation total (Table 5-5).

Table 5-5

			Investigat							
	Viol	etions			Age	of Viol	ator			Number Not
Violation	Total	X	20 & Under	21-24	25-29	30-34	35-44	45-54	55 & Over	Stated
Speed - Conditions	443	24.1%	111	93	83	64	50	18	12	12
Speed - Over Legal	242	13.2%	77	68	43	26	18	5	1 1	4
Failed to Yield	100	5.4%	37	15	18	7	- 11	4	2	6
D.W.1.	284	15.4%	44	55	74	55	42	9	1 1	4
Following Too Closely	128	7.0%	33	22	22	14	18	7	7	5
Improper Passing	122	6.6%	28	29	23	11	17	4	2	8
Operating Defective Equipment	58	3.2%	11	13	4	8	8	11	1	7
Disregard Signs/Signals	68	3.7%	20	17	12	5	10	2	1	1
Over Centerline	48	2.6%	15	11	10	7	3	1	0	1 1
Other Violations	346	18.8%	77	62	49	42	59	27	15	15
Total	1,839	100.0%	453	385	338	239	236	88	42	58

D. Motorcycle Collisions By First Harmful Event


The most common first harmful event causing collisions involving a single motorcycle was overturning. This cause predominated for all age groups. In multiple vehicle collisions involving motorcycles, the rear-end collision was most prevalent (15.3%). Angular collisions constituted the next most common event (13.8%) in multiple vehicle motorcycle collisions. Collisions occurring while entering or leaving a driveway contributed to 12.2% of all motorcycle collisions. (Table 5-6).

Table 5-6


Source: WSP	MOTORCY		VOLVED IN TR			ONS				
	Colli	ions	Age of Motorcyclist							
Type of Collision	Total	x	20 & Under	21-24	25-29	30-34	35-44	45-54	55 & Over	
Single Motorcycle Collision										
Struck Fixed Object	255	10.7%	58	59	46	43	39	7	3	
Struck Other Object	13	0.5%	2	2	5	1	3	0	0	
Overturned	601	25.1%	123	119	113	85	90	48	23	
Motorcycle-Pedestrian	15	0.6%	4	4	0	4	1	1	,	
Motorcycle-R.R. Train	1	0.0%	0	0	0	1	0	0	0	
Motorcycle-Pedalcyclist	11	0.5%	3	1	1	1	2	1	2	
Motorcycle-Animal	38	1.6%	7	7	5	7	10	1	1	
Non-Collision	24	1.0%	10	3	3	5	3	0	0	
Total Single Motorcycle Collisions	958	40.0%	207	195	173	147	148	58	30	
Multiple Vehicle Collision							l i			
Head-on	30	1.3%	10	8	4	2	3	2	1	
Rear-end	367	15.3%	84	75	72	46	51	28	11	
\$ideswipe	128	5.3%	25	17	30	20	25	6	5	
Angular Direction	331	13.8%	85	78	59	37	49	18	5	
Enter/Leave Driveway	292	12.2%	79	61	51	32	48	16	5	
One Left/One Straight-Opp. Dir.	204	8.5%	34	38	43	32	36	14	7	
Other Hultiple Vehicle Collision	83	3.5%	19	14	22	6	11	8	3	
Total Multiple Vehicle Collisions	1,435	60.0%	336	291	281	175	223	92	37	
TOTAL MOTORCYCLE COLLISIONS	2,393	100.0%	543	486	454	322	371	150	67	

E. Time of Motorcycle Collision Occurrence


As one would expect, the milder weather months (June-September) of 1989 recorded the greatest percentage of motorcycle collisions. The highest frequency of fatalities occurred May through October (Figure 5-3).



Friday and Saturday experience the greatest numbers of motorcycle collisions compared to other days of the week. This has been consistent throughout the four-year baseline period and continued in 1989 as well (Figure 5-4).



A further breakdown of motorcycle collisions by hour of day in 1989 reveals that the weekday hours from 2 p.m. to 8 p.m. constituted the most dangerous period of the day. The noon to 1 a.m. time frame proved to be the highest risk period for weekend motorcycling (Figure 5-5).



VI. Pedalcycles

Total pedalcycle accidents decreased 9.4% from the previous four-year average in 1989. The number of pedalcyclists killed decreased from 18 deaths in 1987 to 12 in 1988 and 8 in 1989. The 1989 total was down 40.7% from the baseline period. In addition, fewer persons received injuries than the previous year and from the previous four-year average (Table 6-1).

Table 6-1


			E TRAFFIC ear Compa	COLLISION	IS		
· · · · · · · · · · · · · · · · · · ·			W			Previous 4 -Year	% Change 89 - 4-Year
Severity	1989	1988	1987	1986	1985	Average	Average
Statewide	1 707	4 7/0	4 575	1 507	1 725	1 /70	-9.44%
Total Collisions	1,303	1,348	1,575	1,507	1,325 12	1,439	-40.74%
Persons Killed*	1 - 1	12		. –		14	-9.01%
Persons Injured*	1,331	1,375	1,584	1,538	1,354	1,463	-9.01%
Rural Areas	1						
Total Collisions	392	439	550	491	463	486	-19.3%
Persons Killed*	6	6	15	6	9	9	-33.3%
Persons Injured*	402	450	559	510	472	498	-19.2%
Urban Areas							
Total Collisions	911	909	1,025	1,016	862	953	-4.49
Persons Killed*	2	6	3	6	3	5	-55.6%
Persons Injured*	929	925	1,025	1,028	882	965	-3.79


^{*}In pedalcycle collisions by first harmful event.

Source: WSP

A. Pedalcycle Collisions - Rural/Urban

The rural and urban areas of the state both recorded decreases in pedalcycle collisions. The rural areas recorded the biggest decrease in total collisions and the number of persons injured. The urban areas recorded the largest decrease in the numbers killed (Table 6-1).





B. Pedalcyclists Killed and Injured - By Age

In 1989, 37.5% of the pedalcyclists killed were in the 5-9 age bracket (Table 6-2).

Table 6-2

Source: WSP			ALCYCLISTS Five-Year				
5			Year	-		Previous 4-Year	% of Change 89 - 4-Year
Age	1989	1988	1987	1986	1985	Average	Average
0-4		0	٥	2	0	1	-100.00%
5-9	3	5	4	2	3	4	-14.29%
10-14	2	2	3	3	2	3	-20.00%
15-19	1 1	0	2	1	2	1 1	-20.00%
20-24	0	0	2	1	0	1 1	-100.00%
25-34	1 1	2	3	3	1	2	-55.56%
35-44		2	1	0	1	1 1	-100.00%
45-54	1 1	0	2	0	2	1 1	0.00%
55-64	0	0	1	0	1	1 1	-100.00%
65-74	0	1	0	0	0	0	-100.00%
75 & Older	0	0	0	0	0	0	•••
Not Stated	0	0	0	0	0	0	222
TOTAL	8	12	18	12	12	14	-40.74%

Pedalcyclists between the ages of 5 to 19 made up 61.4% of the total injured, down from the 65.6% for this group injured in the baseline period (Table 6-3).


Table 6-3	<		ISTS INJU e-Year Co		GE		2.
			Year			Previous 4-Year	% of Change 89 - 4-Year
Age	1989	1988	1987	1986	1985	Average	Average
0-4	14	23	23	18	31	24	-41.05%
5-9	230	210	284	266	251	253	-9.00%
10-14	353	366	444	443	403	414	-14.73%
15-19	214	253	302	296	241	273	-21.61%
20-24	130	155	155	176	155	160	-18.88%
25-34	184	156	166	170	143	159	15.91%
35-44	69	71	63	56	38	57	21.05%
45-54	30	33	20	18	15	22	39.53%
55-64	14	18	13	12	8	13	9.80%
65-74	7	8	17	7	2	9	-17.65%
75 & Older	3	4	2	2	1	2	33.33%
Not Stated	51	49	63	43	37	48	6.25%
TOTAL	1,299	1,346	1,552	1,507	1,325	1,433	-9.32%

^{*} Pedalcyclists injured in all traffic collisions.

Source: WSP, OFM

C. Persons Killed and Injured in Pedalcycle Collisions by Month

The months of May through September accounted for 73.6% of the persons killed and injured in pedalcycle-related collisions for 1989. (Figure 6-2).



D. Pedalcycle Collision Rate by City Population

The city of Olympia experienced the highest pedalcycle collision rate in the state during 1989, with 74.03 collisions per 100,000 population. Walla Walla recorded the second highest collision rate in the state with 73.96 collisions per 100,000 population, followed by Aberdeen with 64.18 and Pasco with 62.64 (Table 6-4).

Table 6-4		CLE COLLISIO				ž	
	II 1989 I	Pedalcycle	Deaths	Pedalcycl	e Injuries	Total Ped	Collision
City	Population	Number	Rate*	Number	Rate*	Number	Rate*
250,000 and Over	11	1 1		1			
1. Seattle	497,200	0	0.00	254	51.09	245	49.28
100,000 to 250,000	11 1						
1. Spokane	358,000	ا ا	0.00	78	21.79	80	22.35
2. Tacoma	162,100	0	0.00	58	35.78	57	35.16
50,000 to 100,000	11 1						
1. Bellevue	86,350	0	0.00	42	48.64	42	48.64
2. Everett	64,170	0	0.00	38	59.22	38	59.27
3. Yakima	50,610	•	0.00	23	45.45	20	39.52
25,000 to 50,000	11 1		1				
1. Bellingham	47,290	0	0.00	30	63.44	28	59.2
2. Vancouver	44,450	0	0.00	20	44.99	19	42.7
3. Renton	38,480	0	0.00	12	31.19	12	31.19
4. Bremerton	37,080	0	0.00	19	51.24	19	51.24
5. Kennewick	36,880	0	0.00	8	21.69	8	21.6
6. Kirkland	36,620	0	0.00	3	8.19	4	5.40
7. Kent	34,860	0	0.00	19	54.50	18	51.6
8. Redmond	33,400	0	0.00	12	35.93	12	35.9
9. Auburn	32,460	0	0.00	19	58.53	18	55.4
10. Olympia	31,070	0	0.00	22	70.81	23	74.0
11. Longview	30,320	1 1	3.30	19	62.66	18	59.3
12. Richland	29,970	0	0.00	5	16.68	5	16.6
13. Edmonds	29,720	1 1	3.36	11	37.01	12	40.3
14. Lynnwood	26,280	0	0.00	9	34.25	9	34.2
15. Walla Walla	25,690	0	0.00	9	35.03	10	73.90
15,000 to 25,000	11 1	2.0	- 1		i		
1. Pullman	22,270	0	0.00	4	17.96	4	4.4
2. Puyallup	21,290	0	0.00	8	37.58	8	37.5
3. Mercer Island	20,380	0	0.00	1 11	4.91	1	39.2
4. Wenatchee	19,950	0	0.00	8	40.10	8	45.1
5. Mountlake Terrace	17,590	0	0.00	2	11.37	2	34.1
6. Pasco	17,560	0	0.00	5	28.47	6	62.6
7. Port Angeles	17,490	0	0.00	9	51.46	9	40.0
8. Aberdeen	17,140	0	0.00	7	40.84	7	64.1
9. Lacey	16,940	0	0.00	11	64.94	11	0.00

^{*}Frequency per 100,000 population

VII. Pedestrians

One hundred and ten pedestrians were killed in 1989, an increase of 17.9% over the four-year average. Pedestrian injuries also increased 2.4% above the four-year baseline to 1,858. In 1989, pedestrian fatalities in rural areas increased by 19, which is 37.3% over the previous year, and were up by 23, which is 49.7% over the four-year baseline period. Injuries decreased by 4 from the previous year, but increased 14 or 2.9% from the baseline period. Urban pedestrian deaths decreased by 7, or 14.0% from the baseline period while pedestrian injuries increased by 30, or 2.3% (Table 7-1).

Table 7-1

	PEDESTRIA		& INJURED Year Comp		CLE COLLIS	IONS	
			Year			Previous 4 -Year	% Change 89- 4-Year
Severity by Area	1989	1988	1987	1986	1985	Average	Average
Statewide Pedestrians Killed Pedestrians Injured	110 1,858	97 1,820	93 1,830	94 1,843	89 1,763	93 1,814	17.965 2.435
Rural Areas Pedestrians Killed Pedestrians Injured	70 493	51 497	39 468	52 468	45 483	47 479	49.73 2.92
Urban Areas* Pedestrians Killed Pedestrians Injured	40 1,365	46 1,323	54 1,362	42 1,375	44 1,280	47 1,335	⇒13.985 2.255

^{*2,500} population and greater

Source: WSP

A. Pedestrians Killed And Injured - By Age

In 1989, 13 more pedestrians were killed than the 97 killed in 1988; 18 more died than the four-year baseline average. The number of pedestrians aged 9 years and younger who were killed decreased from 14 in 1988 to 11 in 1989 and remained unchanged from the previous four-year average. The number of 75 and older pedestrians killed increased by two over the previous four-year average (Table 7-2).

The largest percentage increase for pedestrian injuries during 1989 occurred in the 35-44 and the 10-14 age brackets, the former recording a 16.6% increase and the latter a 15.0% increase in comparison to the baseline average (Table 7-3).

Table 7-2

	•	PEDESTRIAN Five-Ye	ear Compar				
			Year			Previous 4-Year	% of Change 89 - 4-Year
Age	1989	1988	1987	1986	1985	Average	Average
0-4	5	10	5	2	3	5	0.00%
5-9	6	4	5	4	11	6	0.00%
10-14	5	3	6	2	3	4	42.86%
15-19	13	10	7	10	3	8	73.337
20-24	10	3	2	7	5	.4	135.297
25-34	19	15	14	12	11	13	46.159
35-44	11	12	11	13	9	11	-2.225 25.005
45-54	10	7	11	7	7	8	-13.517
55-64	8	7	11	10	9		-33.33
65-74	5	8	7	8	21	16	12.50
75 & Older	18	15	14	14	0	"	-100.00
Not Stated	0	3	0	0	V	'	100.00
TOTAL	110	97	93	89	89	92	19.57

Source: WSP

Table 7-3

	•		is injured ear Compar				
			Year			Previous 4-Year	% of Change 89 - 4-Year
Age	1989	1988	1987	1986	1985	Average	Average
0.4	83	97	92	77	83	87	-4.87%
0-4 5-9	235	234	251	231	203	230	2.29%
10-14	226	197	196	198	195	197	15.017
15-19	218	190	206	206	208	203	7.657
20-24	185	149	166	151	181	162	14.377
25-34	288	295	289	290	285	290	-0.60
35-44	219	210	196	176	169	188	16.64
45-54	95	95	108	111	99	103	-7.99
55-64	87	96	84	76	90	87	0.58
65-74	78	74	83	72	92	80	-2.80
75 & Older	74	91	76	98	82	87	-14.70 -11.67
Not Stated	70	92	83	66	76	79	-11.67
TOTAL	1,858	1,820	1,830	1,752	1,763	1,791	3.73

4.17

* In all traffic collisions.

B. Pedestrian Collisions By City Population

Table 7-4 presents the 1989 numbers and rates for pedestrian traffic deaths, injuries, and total collisions for cities of 15,000 population or more in Washington. Auburn had the highest rate of pedestrian fatalities at 9.24 per 100,000 population, based on 3 pedestrian deaths. Comparing pedestrian injury rates, Kent had the highest with 100.40, Lynnwood was second with 95.13, and Seattle was a close third with 94.73. Seattle had the highest rate of pedestrian collisions with 93.12 per 100,000 population; Kent was second with 88.93.

Table 7-4

	1989	Pedestria	n Deaths	Pedestria	n Injuries	Total Ped Collision			
City	Population	Number	Rate*	Number	Rate*	Number	Rate*		
250,000 and Over									
1. Seattle	497,200	12	2.41	471	94.73	463	93.12		
100,000 to 250,000				1					
1. Spokene	170,700	2	1.17	121	70.88	116	67.96		
2. Tacoma	162,100	3	1.85	138	85.13	139	85.75		
50,000 to 100,000		1 1							
1. Bellevue	86,350	0	0.00	38	44.01	36	41.69		
2. Everett	64,170	0	0.00	46	71.68	45	70.13		
3. Yakima	50,610	0	0.00	43	84.96	38	75.08		
25,000 to 50,000									
1. Bellingham	47,290	0	0.00	23	48.64	20	42.29		
2. Vancouver	44,450	2	4.50	21	47.24	23	51.74		
3. Renton	38,480	1	2.60	15	38.98	13	33.78		
4. Bremerton	37,080	1	2.70	27	72.82	28	75.51		
5. Kennewick	36,880	1.	2.71	8	21.69	7	18.98		
6. Kirkland	36,620	. 1	2.73	15	40.96	12	32.77		
7. Kent	34,860	1	2.87	35	100.40	31	88.93		
8. Redmond	33,400	0	0.00	12	35.93	10	29.94		
9. Auburn	32,460	3	9.24	17	52.37	20	61.6		
10. Olympia	31,070	0	0.00	13	41.84	13	41.84		
11. Longview	30,320	1	3.30	21	69.26	22	72.56		
12. Richland	29,970	0	0.00	5	16.68	5	16.68		
13. Edmonds	29,720	0	0.00	10	33.65	10	33.65		
14. Lynnwood	26,280	1	3.81	25	95.13	20	76.10		
15. Walla Walla	25,690	0	0.00	9	35.03	9	35.03		
15,000 to 25,000									
1. Pullman	22,270	1	4,49	6	26.94	6	26.94		
2. Puyallup	21,290	0	0.00	9	42.27	9	42.27		
Mercer Island	20,380	0	0.00	4	19.63	4	19.63		
4. Wenatchee	19,950	0	0.00	9	45.11	9	45.11		
5. Mountlake Terrace	17,590	0	0.00	7	39.80	6	34.1		
6. Pasco	17,560	0	0.00	8	45.56	8	45.5		
7. Port Angeles	17,490	1	5.72	12	68.61	12	68.6		
8. Aberdeen	17,140	1	5.83	9	52.51	10	58.34		
9. Lacey	16,940	0	0.00	5	29.52	5	29.52		

^{*}frequency per 100,000 population

Source: WSP, OFM

C. Actions Of Pedestrians Killed and Injured - Urban and Rural

Thirty-five percent of the pedestrians killed or injured in urban areas in the state were struck while crossing the roadway at an intersection. Another 40.0% were killed or injured while crossing not at an intersection. The largest percentage of pedestrians in these groups were in the 5 to 14 year olds. Nearly two-thirds (63.8% of the pedestrians ages 0-4 were killed or injured while crossing between intersections).


In rural areas, the most frequently involved age group in fatal and injury collisions fell into the 25- to 64-year-old group which accounted for 34.0% of all pedestrians killed or injured in traffic collisions. However, when broken down to single ages, the 5-14 year-olds were the most involved. The most common contributing action of this age group was "crossing, entering roadway not at intersection." Over half (53.4%) of the pedestrians age 5-14 were killed or injured while crossing not at an intersection (Table 7-5).


Table 7-5

Source: WSP			of PEDESTR			URED					
	Killed		Killed/	illed/Injured		Age					
Action	Number	x	Number	x	0-4	5-14	15-24	25-64	65+	Stated	
Urban:	ll .									ŧ	
Crossing, entering roadway at intersection	14	35.0%	711	50.3%	12	142	153	290	85	29	
Not at intersection	16	40.0%	418	29.6%	1 44	145	64	116	33	16	
Walking with traffic	'6	0.0%	21	1.5%	70	1 1	<u>چ</u>	11	34	2	
Walking against traffic	ŏ	0.0%	10	0.7%	ا ،	ه ا	ءَ ا	'4	اة	l -	
Standing or working in roadway	ž	5.0%	72	5.1%	l i	3	17	49	اة	2	
Playing in roadway	ة اا	0.0%	27	1.9%	اها	15	"4	ا ه	اه	ا ا	
Lying in roadway	3	7.5%	6	0.4%	١٠	1	0	5	0	0	
Not in roadway	11 4	10.0%	78	5.5%	2	12	19	40	5	1 0	
Other & Not Stated	1	2.5%	71	5.0%	2	9	17	36	3	4	
TOTAL URBAN	40	100.0%	1,414	100.0%	69	328	283	551	130	53	
% of Total Killed or Injured					4.9%	23.2%	20.0%	39.0%	9.2%	3.77	
Rural:	11										
Crossing, entering roadway at	11						۱			1 -	
Intersection	9	12.9%	122	21.6%	4	32	26	38	17	1 3	
Not at Intersection	22	31.4%	190	33.6%	9	78	34	52 13	15	3	
Walking with traffic	11	15.7% 8.6%	27	2.8%	1 0	4	3	13	2	1 8	
Welking against traffic	6 7	10.0%	10	7.8%	"	2	15	25	1	1	
Standing or working in roadway	'2	2.9%	25	4.4%	5	13	ءُ ا	اءُ ا	اہٰا	1	
Playing in roadway	;	1.4%	"	0.2%	ا ا	1 6	1 1	ا م	ا ۃ ا	1 6	
Lying in roadway Not in roadway	10	14.3%	98	17.3%	l ő	12	36	40	7	1 3	
Other & Not Stated	2	2.9%	42	7.4%	2	4	14	16	i	9	
TOTAL RURAL	70	100.0%	565	100.0%	21	146	144	192	45	17	
% of Total Killed or Injured					3.7X	25.8%	25.5%	34.0%	8.0%	3.03	

D. Pedestrian Collisions By Day Of Week and Hour Of Day

In 1989, Friday and Thursday were the two days with the highest frequency of pedestrian fatalities, recording 24.3% and 18.9% deaths respectively. Friday also recorded the highest number of reported pedestrian collisions (Figure 7-1). The 6 p.m. to 9 p.m. time period evidenced the greatest percentage of fatal pedestrian collisions at 32.4%. The 3 p.m. to 6 p.m. recorded the greatest number of reported pedestrian collisions at 29.8% (Figure 7-2).





VIII. Heavy Trucks

In 1989, 6,345 heavy trucks were involved in collisions, for an 12.4% decrease over the four-year baseline. Registrations in 1989 totaled an estimated 112,000 vehicles, a 9.9% increase over the four-year average. Based on this registration figure, the 1989 collision rate was 566.5 collisions per 10,000 registered trucks, a decrease of 20.8% from the four-year average.

There were 79 heavy trucks involved in fatal collisions during 1989, the same as recorded in 1988. This was a 5.0% increase compared to the baseline average. The fatal collision rate was down slightly from the previous year, and down 4.8% from the previous four-year average rate of 7.4 deaths per 10,000 registered trucks.

The estimated registration of heavy trucks has been adjusted for 1989 and the previous years based on updated information on the light/heavy truck registration mix obtained from the Washington Department of Transportation (Table 8-1).

Table 8-1

	Heavy Tr		OF HEAVY	TRUCKS raffic Co	llisions		
THE RESERVE THE PARTY OF THE PARTY.		Year				Previous 4-Year	% of Change 89 - 4-Year
Collision Severity/Exposure & Rates	1989	1988	1987	1986	1985	Average	Average
Total Trucks Involved in Collisions Trucks Involved in Fatal Collisions	6,345	6,149	6,243 71	7,983 66	8,605 85	7,245 75	-12.42% 4.98%
Registration of Heavy Trucks*	112,000	106,400	104,200	101,368	95,800	101,942	9.87%
Total Collision Rate** Fatal Collision Rate**	566.5 7.1	577.9	599.1 6.8	787.5	898.2 8.9	715.7 7.4	-20.84% -4.75%

* Estimated

**Collisions per 10,000 registered trucks

Source: WSP

A. Age of Drivers Involved in Heavy Truck Collisions

The 39-year-old and younger drivers were over-represented in heavy truck collisions compared to the percentage of licensed drivers each group composed. The 19 and under group composed only 0.2% of all licensed heavy truck operators, yet this group was involved in 1.6% of all heavy truck collisions and 2.3% of the heavy truck injury collisions. The ratio for percent of collision involvement com-

pared to percent of licensed drivers composed by the 19 and under age group resulted in an over-representation ratio of 8.35 for this group.

The 20-29 year old age group was involved in 24.1% of the total collisions, 17.3% of the fatal collision and 25.0% of the injury collisions. This group composed 13.1% of all drivers having a classified endorsement on their licenses. Based on the percentage of licensed drivers and collision involvement, this group was over-represented in collisions by a ratio of 1.84.

The 30-39 year-old age group was involved in 32.5% of the total reported collisions and made up 26.7% of the drivers having a classified endorsement on their license. The representation for this group was nearly equal. The rest of the driver age groups were under-represented in total collisions compared to the number of licensed drivers (Table 8-2).

Table 8-2

Source: WSP, DOL DRIVERS INVOLVED IN HEAVY TRUCK COLLISIONS By Age											
	All Coll	isions	Fatal Col	lisions	Injury C	ollisions	% of Classified	Over/Unde			
Age	Number	×	Number	*	Number	x	Drivers*	Ratio**			
19 & Under	91	1.6%	0	0.0%	43	2.3%	0.2%	8.35			
20-29	1,386	24.1%	13	17.3%	458	25.0%	13.1%	1.84			
30-39	1,875	32.5%	20	26.7%	598	32.6%	29.2%	1.11			
40-49	1,359	23.6%	16	21.3%	426	23.3%	27.2%	0.87			
50-59	790	13.7%	19	25.3%	233	12.7%	17.0%	0.80			
60 & Over	260	4.5%	7	9.3%	74	4.0%	13.2%	0.34			

^{*} Classified Endorsement is required only for operators of the larger trucks and truck combinations

B. Heavy Truck Defects

Defective brakes accounted for 36.7% of the defects detected in heavy trucks involved in collisions in 1989. Other defects included 10.2% worn or smooth tires, 4.8% defective rear lights, 3.2% defective steering, and 41.5% other defects (Table 8-3).


Table 8-3


Source: WSP	DEFECTS OF		UCKS INVO r Comperí		COLLISION	s			
	1989 1988 1987								
Condition of Vehicle	Number	% of Total	Number	% of Total	Number	% of Total	Number	% of Total	
Defective Brakes	206	36.7%	236	40.4%	254	39.6%	329	42.1%	
Defective Headlights	6	1.1%	6	1.0%	6	0.9%	4	0.5%	
Defective Rear Lights	27	4.8%	37	6.3%	27	4.2%	48	6.13	
Defective Steering Mechanism	18	3.2%	32	5.5%	30	4.7%	33	4.2%	
Puncture or Blowout	14	2.5%	24	4.1%	23	3.6%	21	2.73	
Worn or Smooth Tires	57	10.2%	74	12.7%	79	12.3%	87	11.12	
Other Defects	233	41.5%	175	30.0%	222	34.6%	259	33.27	


^{**} Percent of collision involvement to percent of licensed drivers

C. Location of Heavy Truck Collisions By Severity

In 1989, 54.8% of the collisions involving heavy trucks occurred in urban areas (Figure 8-1). There were 22 heavy trucks involved in fatal collisions in urban areas, compared to 57 in the rural areas. These figures compose a 27.8% to 72.2% urban/rural proportion of involvement in fatal collisions (Figure 8-2). The 1989 heavy truck involvement in injury collisions was split, 994 urban to 1,035 rural. These figures represent a 49.0% to 51.0% urban/rural split (Figure 8-3).









D. Heavy Truck Collision Occurrences By Time

The weekdays showed the highest frequency of heavy truck collision involvement, and Friday recorded the single day high. During the weekend, as expected, there was a substantial decline in the frequency of heavy truck involvement in collisions (Figure 8-4).




Last year, the time period from noon to 3 p.m. recorded the highest incidence of heavy truck involvement in collisions. A substantial increase in collisions began during the 6 a.m. to 9 a.m. time period, peaked at the noon to 3 p.m. period, remained high during the 3 p.m. to 6 p.m. period, and then sharply declined (Figure 8-5).



E. Total Collisions - Light Trucks vs. Heavy Trucks

There were 60,842 light trucks and 6,345 heavy trucks involved in collisions in 1989, a 90.6% and 9.4% ratio. This ratio has been shifting toward light trucks every year since 1985 (Figure 8-6).



F. Collisions By First Harmful Event

Heavy trucks were involved in 4,728 collisions involving other moving motor vehicles. This figure represents 74.2% of all heavy truck collisions for 1989. Heavy trucks also were involved in 412 collisions in which the other vehicle was parked and in 667 collisions with fixed or other objects. Overturning, other non-collisions, and all other collisions accounted for the remaining heavy-truck involved collisions (Table 8-4).

Table 8-4

YEA!		ISIONS B		ARMFUL EV	/ENT			
	1989	1989		1988		1987		
Type of Collision	Number	% of Total	Number	% of Total	Number	% of Total	Number	% of Tota
Collision with other moving motor vehicles	4,728	74.2%	4,388	73.8%	4,595	73.6%	5,686	73.77
Collision with parked vehicle	412	6.5%	353	5.9%	440	7.0%	600	7.8
Collision with fixed/other object	667	10.5%	677	11.4%	636	10,2%	792	10.3
Overturning	379	5.9%	349	5.9%	379	6.1%	386	5.0
Other non-collision	113	1.8%	105	1.8%	107	1.7%	116	1.5
All other collisions*	75	1.2%	70	1.2%	86	1.4%	130	1.7

^{*} Pedestrians, pedalcyclists, RR train & animal.

IX. Pupil Transportation

During the 1988-89 school year, there were 371 reported school bus collisions in which 216 persons were injured and 1 driver, the driver of the "other" vehicle, was killed. This represented a 16.6% increase over the previous three-year average in total school bus collisions, a 11.0% increase in the number of persons injured, and a decrease of 1 in the number killed. Injuries to pupils riding in the school buses totaled 66 for the 1988-89 school year; down from the 116 reported for the 1987/88 school year and from the three-year average of 68 pupils injured.

There were no fatals, but 3 major, 19 minor, and 71 possible injuries of school bus occupants during the 1988-89 school year. This was up 1 in the major injury category, but down in the other injury severities from the three-year average.

There were 6,627 registered school buses in the 1988-89 school year. This marked a 6.1% increase in registrations from the baseline period. School bus travel increased 6.41% during the 1988-89 school year compared to the previous three-year baseline period (Table 9-1).

Table 9-1


	COLLISIONS	INVOLVING		S		
		Yes	Previous 3-Year	% of Change 89 - 3-Yea		
Severity, Exposure & Rates	88-89	87-88	86-87	85-86	Average	Average
Total Collisions	371	311	310	338	320	16.067
Fatal Collisions	1	1	5	0	2	-50.002
Injury Collisions	121	115	92	95	101	20.20
Property Damage Collisions	249	195	213	243	217	14.75
Number Killed	1	1	5	0	2	-50.00
Persons Injured		()				l I
Pupils	66	116	59	29	68	-2.94
School Bus Drivers	21	28	9	19	19	12.50
Other Occupants of School Bus	1	0	1	2	1	0.00
Pedestrian/Bicyclist	5	7	7	5	6	-21.05
Occupants/Other Vehicles Involved	123	117	93	92	101	22.19
Total Injured	216	268	169	147	195	10.96
Severity of School Bus Occupant Injury	1			0.00	1	11
Major Injury	3	4	1	0	2	80.00
Minor Injury	19	75	9	24	36	-47.22
Possible Injury	71	69	59	27	52	37.42
School Bus Registration	6,627	6,427	6,185	6,121	6,244	6.13
Registration Collision Rate*	56.0	48.4	50.1	55.2	51.2	9.25
Miles Traveled (in thousands)	73,799.7	72,816.2	68,658.8	66,586.6	69,353.9	6.41
Mileage Collision Rate**	0.50	0.43	0.45	0.51	0.462	8.79

^{*} Collisions per 1,000 registered vehicles

Source: WSP, SPI


^{**} Collisions per 100,000 miles traveled

During the 1988-89 school year, the school bus mileage collision rate was .50 collisions per 100,000 miles of travel. This rate was up from the 0.43 rate experienced in the 1987-88 school year and the previous three-year baseline (Figure 9-1).



X. Contributory Driver Violations

Driving while under the influence of intoxicating liquor/drugs contributed to 31.9% of the driver violations in fatal collisions and 8.8% of all investigated collisions. Failure to yield right of way contributed to 20.9% of all investigated collisions and 9.1% of the violations in fatal collisions. Exceeding reasonable safe speed contributed to 19.57% of all investigated collisions and 14.0% of the fatal collisions. Exceeding the posted speed was the 3rd ranking driver violation in fatal collisions. It contributed to 4.1% of all investigated collisions. (Figure 10-1).



Source: WSP. DOI

XI. Senior Driver Involvement

Last year 26,873 senior drivers, 55 years old and older, were involved in 24,896 reported collisions in 1989. There were 158 fatal collisions involving 174 senior drivers and 9,786 injury collisions involving 10,559 senior drivers. This was a 3.5% increase of seniors involved in reported collisions, a 18.2% increase of the number involved in fatal crashes, and a 9.3% increase of those involved in injury collisions compared to the previous four-year baseline period. The number of drivers licenses issued to senior drivers also increased 6.5% from the baseline average to 780,607. The total collision rate (total collisions per 1,000 licensed drivers) of 3.44 for 1989 was down 2.9% from the baseline period (Table 11-1).

Table 11-1

\$E	NIOR DRIVERS		S & OLDER) r Comparis		IN COLLIS	IONS+	
			Year			Previous 4-Year	% of Change
Collisions & Rates	1989	1988	1987	1986	1985	Average	Average
Senior drivers involved in							
Total Collisions	26,873	26,584	26,482	25,842	24,978	25,972	3.5%
Fatal Collisions	174	148	157	140	144	147	18.23
Injury Collisions	10,559	10,197	9,634	9,560	9,264	9,664	9.33
Licensed Drivers	780,607	763,079	741,653	719,784	706,719	732,809	6.5%
Fatal Collision Ratio*	6.47	5.57	5.93	5.42	5.77	5.67	14.23
Fatal Rate**	0.22	0.19	0.21	0.19	0.20	0.20	11.5
Total Collision Rate***	3.44	3.48	3.57	3.59	3.53	3.54	-2.99

- + The number of senior drivers involved
- * Fatal Collisions per 1,000 total collisions
- ** Fatal Collisions per 1,000 licensed drivers
- *** Senior drivers involved per 100 licensed

A. Senior Driver Collisions By First Harmful Event

In 1989, 87.3% of the collisions involving senior drivers were "collisions with other moving vehicles." This type of collision also resulted in the greatest percentage of fatal collisions (67.1%) and injury collisions (85.5%). Single-vehicle collisions with fixed objects led to the second largest percentage of senior drivers involvement in total, fatal and injury collisions at 6.1%, 13.3% and 6.7% respectively. While collisions with pedestrians and bicycles comprised only 1.8% of the

total senior driver collisions, 15.3% of the fatal crashes and 4.3% of the seniors' injury collisions were collisions with pedestrians and bicycles (Table 11-2).

Table 11-2

Source: WSP COLU	COLLISIONS INVOLVING SENIOR DRIVERS* By First Harmful Event									
	Total	Collisions	Fatal	Collisions	Injury	Collisions				
Type of Collision	Number	% of Total	Number	% of Total	Number	% of Total				
Collision with other moving motor vehicles	21,732	87.3%	106	67.1%	8,365	85.5%				
Collision with parked vehicle	545	2.2%	3	1.9%	103	1.1%				
Collision with fixed/other object	1,515	6.1%	21	13,3%	651	6.7%				
Overturning & other non collision	413	1.7%	7	4.4%	216	2.2%				
Collisions with pedestrian & bicycles	445	1.8%	19	12.0%	423	4.3%				
Other collisions including RR train, animal	246	1.0%	2	1.3%	28	0.3X				
TOTAL	24,896	100.0%	158	100.0%	9,786	100.0%				

^{*} Collisions in which one or more senior drivers involved

B. Senior Driver Collision Involvement By Age Group

Failure to yield right-of-way contributed to 47.1% of the total drivers violations for drivers 75 years and older. This violation was also the leading violation for all drivers 55 years and older. This was followed by disregarding traffic control signs and signals for drivers 75 and over. Speed too fast for conditions was the second leading contributing cause for drivers 55 through 74 years of age (Table 11-3).


Table 11-3

			INVOLVEME al Circum						,	
	55-59		60-64		65-69		70-74		75 & Older	
Contributing Circumstances*	Number	X	Number	×	Number	x	Number	X	Number	X
Failure to Yield Right of Way	833	29.3%	778	31.4%	951	40.3%	866	43.0%	1,441	47.1%
SpeedToo Fast For Conditions	458	16.1%	366	14.8%	259	11.0%	195	9.7%	217	7.1%
Disregarding Traffic Signal/Signs	217	7.6%	216	8.7%	208	8.8%	187	9.3%	354	11.6%
Following Too Closely	274	9.6%	223	9.0%	203	8.6%	137	6.8%	183	6.0%
Driving While Under the Influence	210	7.4%	140	5.7%	95	4.0%	61	3.0%	46	1.5%
Operating Defective Equipment	52	1.8%	42	1.7%	38	1.6%	29	1.4%	36	1.2X
Crossing Over the Centerline	55	1.9%	47	1.9%	40	1.7%	32	1.6%	42	1.4%
Exceeding Legal Speed	36	1.3%	18	0.7%	18	0.8%	15	0.7%	13	0.4%
All Other Circumstances including Driver Inattention	711	25.0%	647	26.1%	546	23.2%	491	24.4%	728	23.8%
TOTAL	2,846	100.0%	2,477	100.0%	2,358	100.0%	2,013	100.0%	3,060	100.03


^{*}Investigated collisions only

Saurce: WSP


In 1989, the 55-59 year old group was involved in 6,971 reported collisions for 3.53% of all collisions. This group made up 5.35% of the total number of drivers licensed to drive in this state. The under-representation ratio of 0.66 is nearly the same as the 0.64 ratio reported for the previous year and for the previous four-year baseline average (Figure 11-1).




The 60-64 age group posted an under-representation ratio of 0.58, which was the same as the previous year but up slightly from the previous four-year baseline average (Figure 11-2).




The 65-69 year old group recorded a 0.54 under-representation ratio, a slightly higher representation than in the previous year and in the baseline period (Figure 11-3).




The 70-74 age group recorded a 0.54 under-representation ratio, the same as the baseline average (Figure 11-4).




The last group is the 75 years and older group. This group had a .58 under-representation, down from the baseline ratio of .61 (Figure 11-5).




The urban/rural collision ratio involving senior drivers (55 years old and older) remained relatively constant during the past eight years with a 63.2 to 36.8 urban/rural mix for 1989 (Figure 11-6).



The senior driver injury collision urban/rural mix has also remained fairly constant during the past eight years with 60.3% occurring in the urban areas (Figure 11-7).




Senior driver fatal collisions continued to be more common in rural areas; the percentage increased to 75.9% in 1989. Three quarters of all fatal collisions involving senior drivers occurred in rural areas (Figure 11-8).




C. Senior Driver Involvement By Time

Last year, 21.2% of all rural fatal collisions involving senior drivers occurred on Friday, 17.8% occurred on Saturday, and 16.1% occurred on Tuesday. Friday was also the high day of the week for total reported rural collisions, accounting for 17.7% of the senior driver collisions. Thursday followed with 15.6% and Wednesday was next with 15.5% of the collisions (Figure 11-9).





Wednesday was the highest fatal collision day, recording 27.5%, followed by Friday with 17.5% of the senior-drivers urban-area fatal collisions. Friday recorded the greatest percentage of urban total reported collisions, 18.6%, for the group (Figure 11-10).



In rural areas, the greatest percentage (24.6%) of senior driver involvement in fatal crashes occurred from 12 noon to 3 p.m.. The greatest percentage of total collision involvement (29.6%) for these drivers also occurred from 3 p.m. to 6 p.m. (Figure 11-11).

In the urban areas, the greatest senior involvement in fatal collisions, 30%, was from 3 p.m. to 6 p.m. This same time period recorded 27.5% of the total urban reported collisions of the senior drivers (Figure 11-12).





XII. Vehicle Defects

In investigated collisions during 1989, only 4.2% of the collision-involved vehicles were found to have contributory vehicle defects. The most common defect was worn or smooth tires, a defect found in 2,165 vehicles. This represented a 25.1% decrease in this category compared to the previous four-year average. Defective brakes, the second most contributory defect, was found on 1,671 collision-involved vehicles in 1989. This was an increase of 11.1% compared to the baseline (Table 12-1).

Table 12-1

				CONDITIO			
		7	Year			Previous 4-Year	% of Change
Description	1989	1988	1987	1986	1985	Average	Average
Defective Tires: Worn or Smooth Tires	2,165	2,577	2,806	3,129	3,043	2,889	-25.1%
Puncture or Blowout	405	442	469	343	345	400	1.3%
Defective Brakes Defective Lights:	1,671	1,859	1,961	2,026	1,723	1,892	-11.7%
Headlights	164	156	144	167	156	156	5.3%
Rear Lights	387	423	331	373	370	374	3.4%
Other Lights/Reflectors	114	106	116	112	97	108	5.8%
Defective Steering	279	306	339	287	307	310	-9.9%
All Other Defects	1,971	1,683	2,082	2,026	1,963	1,939	1.7%
No Defects	161,829	164, 102	161,595	156,360	147,591	157,412	2.8%
TOTAL VEHICLES INVOLVED	168,985	171,654	169.843	164.823	155,595	165,479	2.1%

^{*} Investigated Collisions

Source: WSP

